

MEGAMAN®

THE MEGAMAN®

LIGHTING CATALOGUE

V04



MEGAMAN® is a global brand in high-performance, energy-efficient lighting and an innovative leader in the use of LED with design and technology that targets the best eco-lighting solutions. Megaman products are widely distributed throughout the world, including Europe, Asia Pacific, Middle East, North America and Latin America, covering more than 90 countries. By setting environmental management as one of the company's highest priorities, Megaman is focusing on eco-friendly environmental processes from initial design, to manufacturing, research and development, and the disposal or recycling of its products.



MEGAMAN®

Megaman (UK) Limited
Megaman House
2 Quadrant Park
Mundells
Welwyn Garden City
Herts AL7 1FS

T: +44 (0)1707 386000
F: +44 (0)1707 386001
E: sales@megamanuk.com



Follow us
[@megamanukltd](https://twitter.com/megamanukltd)

© MEGAMAN® (UK) LTD APRIL 2022

All information stated is correct at the time of printing and subject to change without prior notice.



Providing flexible lighting solutions for a wide range of indoor and outdoor applications, introducing MEGAMAN®'s new and improved fixture and lamp portfolio.

For adaptable, high-performance fixture solutions, look no further than our new Performa range. Combining quality materials and value-added features like motion sensors, emergency compatibility, dual beam (DBT) and colour change technology (CCT), performance is at the heart of all Performa solutions.

For cost-effective, staple products, the Essentials range should be every contractor and wholesaler's go-to. Providing reliability over innovation, Essentials solutions are there for the day-to-day, delivering in terms of cost and results for both retrofit and new-build installations.

Collectively these two ranges provide you with more choice and echo Megaman's long-standing LED lamp collections - Professional and Economy - with a product for every eventuality.

Designed with ease of installation in mind, these new fixture ranges emphasise our ongoing commitment to supporting and making life easier for our contractors and stockists. Simple, one-box solutions, they're ideal to keep in the back of the van; but our wholesalers' and ease of stock control was also at the forefront during product development.

MEGAMAN®
Performa
 FIXTURE RANGE
 HIGH PERFORMANCE & QUALITY FROM MEGAMAN®

essentials MEGAMAN®
 + VALUE FOR MONEY + RELIABLE + EVERYDAY + LED FIXTURES +



MEGAMAN® UK-WIDE SALES TEAM


The Megaman Business Development team have been specifically trained to enhance our relationship with our customers and to ensure that we offer the individual support that they require.

Technical product advice and suggestions to ensure that the correct lighting solutions are selected for each clients requirements.

Recommendations on how to reduce energy consumption and save on energy bills.

Help in lowering carbon emissions to meet Government targets and fulfil ISO accreditations.

Advice on changes in regulations.
Guidance on new lamp and lighting technologies.



SCOTLAND, N. IRELAND, ISLE OF MAN & REPUBLIC OF IRELAND
CONTACT: 07931 817211

NORTH ENGLAND
CONTACT: 07958 172109

WALES & WEST MIDLANDS
CONTACT: 07931 817212

EAST MIDLANDS & ANGLIA
CONTACT: 07813 695891

LONDON & SOUTH EAST
CONTACT: 07976 620377

SOUTH WEST
CONTACT: 07811 144540

BRINGING
A SMARTER
LIFE IN LIGHT

CONTENTS

MEGAMAN®
Performa
 FIXTURE RANGE
 HIGH PERFORMANCE & QUALITY FROM MEGAMAN®

PERFORMA | LED FIXTURES

4-33

PERFORMA | LED TRACK LIGHTING

34-43

PERFORMA | TEMPUS® EMERGENCY SELF-TEST

44-57

essentials MEGAMAN®
 A RANGE OF ENERGY EFFICIENT, DURABLE & LONG LIVED LIGHTING

ESSENTIALS | LED FIXTURES RANGE

58-81




ESSENTIALS | TEMPUS® EMERGENCY LIGHTING

82-93

LED LAMPS | PROFESSIONAL & ECONOMY

94-160

KEY

 IP RATING	 IMPACT RATING	 WARRANTY PERIOD	 FLICKER FREE	 SHATTER PROOF	 GLARE RATING
 MICROWAVE MOTION FUNCTION	 ELECTRICAL CLASS RATING	 PRODUCT DISCOUNT GROUP	 LIGHT DISTRIBUTION	 SWITCHABLE BEAM ANGLE	 COLOUR CHANGING FUNCTION
 DIMMING FUNCTION	 UNIVERSAL DIMMING	 HIGH CRI RATING	 ACOUSTIC RATING	 PIR SENSOR FUNCTION	 MICROWAVE MOTION SENSOR
 VARIABLE POWER OUTPUT	 EMERGENCY FUNCTION	 PUSH-FIT CONNECTION	 ENERGY RATING	 BOX QUANTITY	 LIGHT APPEARANCE

LED FIXTURES

MEGAMAN® offers a full spectrum of LED FIXTURES for applications such as retail, hotels, restaurants, homes and offices; and even the highly harsh and demanding modern intensive animal farming environments.



MEGAMAN® PERFORMA | LED FIXTURES RANGE



BERTO SIDELIT LED PANEL P6



GABIO LED PENDANT P8



GEO 2 LED HIGH BAY P10



TOTT 2 LED FLOODLIGHT P12



RENZO MODULAR LED BULKHEAD P14



FONDA OUTDOOR LED BULKHEAD P16



TONO INDOOR LED BATTEN P18



FARRON INDOOR LED BATTEN P20



DINO 2 INDOOR & OUTDOOR LED BATTEN P22



DINO 2 CHEMICAL RESISTANT LED BATTEN P24



TEGO 2 FIRE-RATED LED DOWNLIGHT P26



TEGO FIRE-RATED DOWNLIGHT P28



MILENA RECESSED LED DOWNLIGHT P30

COMMERCIAL | LED PANEL

BERTO

ULTRA SLIMLINE HIGH PERFORMANCE & MAINTENANCE FREE **BERTO SIDELIT TPb LED PANELS** DELIVER A FLICKER FREE AND LOW GLARE EVEN LIGHT DISTRIBUTION THAT'S SUITABLE FOR MULTIPLE APPLICATIONS.

FEATURES & BENEFITS

- High performance Sidelit TPb LED \leq UGR22 panels
- Comes with non dimming driver
- Surface and suspension mounting kits available separately
- 110° beam angle
- 50,000 hours rated life
- Up to 100 lumen per system watt efficacy
- Perfect for shallow ceiling voids
- Quick & easy installation
- Lightweight LED panel with non discolouring TPb rated diffusers
- Suitable for use in exposed T-grid ceilings
- Ideal for general lighting use
- Long maintenance period and low lumen depreciation
- Can be used as part of a Part L building compliance



TPb
SIDELIT

Applications

- Shopping centres
- Retail stores
- Hospitals
- General lighting

ACCESSORIES



710502SIDELIT
Emergency Kit
for Sidelit panels



130214
Suspension Kit
for Panel, 1.0m



130212
Suspension Kit
for Panel, 1.8m



710941
DALi Driver
199x55x24.5mm



130344
Loop Through
Junction Box
with 3 Pin



710933
Surface Mounted
Frame
600x600x64mm



LED FIXTURES WITH
 INNOVATIVE ADDED
 VALUE FEATURES

COMMERCIAL | LED PANEL

BERTO SQUARE SIDELIT TPb LED PANEL

36W | 4000K/6500K | 3600lm | 50,000hrs | Non-Dim Driver



ULTRA SLIM PROFILE

EASY PUSH-FIT CONNECTOR

FLICKER FREE





TPb
SIDELIT



Photometric data:
Please refer to our website for up to date photometric information.

DIMENSIONS



Loop through wiring adaptor

MEGAMAN® PERFORMA BERTO

SIDELIT TPb panel is an integrated LED lighting solution that facilitates easy installation and maintenance. It delivers a high luminous efficacy up to 100lm/W – matching the lighting levels of 3 x 18W T8 and 3 x 24W HE T5 fluorescent modular fittings.



See page 60 for MEGAMAN® ESSENTIALS BERTO BACKLIT LED PANEL economy option.

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Dimensions (LxWxH mm)
130340 UGR22 TPb SIDELIT (SQUARE) X1 PANEL	36W	4000K / 80	3600	N	110°	50,000	595x595x13
130342 UGR22 TPb SIDELIT (SQUARE) X1 PANEL	36W	6500K / 80	3600	N	110°	50,000	595x595x13

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

COMMERCIAL | PENDANT

GABIO

FEATURES & BENEFITS

- Louvre cell design with low glare rating of UGR19
- Wide batwing light distribution and wide beam angle
- Built-in LED driver
- Range of mounting methods available
- Modular joint system available
- Lit louvres in the module junctions
- High level of visual comfort, ideal for individual task lighting
- High uniformity of light
- Easy installation
- Suitable for a range of different applications
- Create a range of different product profiles
- Unique design feature of a continuous line of light

ACCESSORIES



190574 GABIO
Transparent Main
Supply Wire



190576 GABIO
Square Ceiling
Rose



190578 GABIO
2 x 1.5M
Suspension wire



190580 GABIO
Linear Joint



190586 GABIO
X-Joint 4000K



190582 GABIO
L-Joint 4000K



190584 GABIO
T-Joint 4000K



190588 GABIO
Suspension Kit -
DALI Version

SLIM DESIGN GABIO IS AN ALUMINIUM LINEAR SUSPENDED AND SURFACE MOUNTED PENDANT WITH A MODULAR JOINT SYSTEM; THAT CREATES A SEAMLESS LINE OF HIGH QUALITY AND EVEN LIGHT.

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

COMMERCIAL | PENDANT

GABIO INTEGRATED LED PENDANT

20W-30W | 4000K | 2000-3500lm | 50,000hrs | Built-in LED Driver



LINEAR SLIM PROFILE

SEAMLESS LIGHT SYSTEM


LOUVRE CELL DESIGN



Photometric data:
Please refer to our website for up to date photometric information.

MEGAMAN® PERFORMA GABIO offers a slim aluminium linear profile and understated design which is suitable for any interior installation. Its unrivalled adaptability and seamless light system makes Gabio the perfect choice for most applications.

DIMENSIONS



LED FIXTURES WITH INNOVATIVE ADDED VALUE FEATURES

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxH mm)
190550	20W	4000K / 80	2000 (with driver)	N	90°	50,000	1347	1142x57x56
190552	30W	4000K / 80	3500 (with driver)	N	90°	50,000	1362	1142x57x56
190554	30W	4000K / 80	3500 (1000 Up/ 2500 Down)	N	90°	50,000	1362	1142x57x56
190556	30W	4000K / 80	3500 (Dali)	N	90°	50,000	1362	1142x57x56

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

INDUSTRIAL | HIGH BAY

GEO 2

5 Selectable lumen outputs



Microwave Sensor Module option



IN-LINE FLEX CONNECTOR WITH PUSH FIT

**MEGAMAN®'S NEW
 VARIABLE WATTAGE &
 REMOTE CONTROLLABLE
 POWERFUL LED HIGH BAY**

FEATURES & BENEFITS

- Passive cooling structure
- Excellent heat dissipation with graphene housing
- Easy installation with single point hook mounting design
- Eye hook included
- IP65 protection
- Anti-surge protected fitting
- In-line flex connector with push fit. Allows PCR2000 flex to be connected without using additional adaptable box. Reducing installation time dramatically
- 50,000hrs L70B50 at Ta40°C
- Compatible with microwave sensor
- Flicker free to avoid stroboscopic effect with rotating machines.
- High vandal resistant with IK08
- Reflector & refractor as optional accessories
- Counter balance included with Microwave Motion Sensor to ensure balanced instal

ACCESSORIES



710729 GEO 2 Microwave Motion Sensor



710971 GEO 2 0-10V Dimming wire 300mm



190706 70° Polycarbonate Reflector



190704 90° Aluminium Reflector



710842 GEO 2 Motion Sensor Remote Control

Applications

- High-ceiling areas
- Warehouses
- Manufacturing
- Halls



LED FIXTURES WITH INNOVATIVE ADDED VALUE FEATURES

INDUSTRIAL | HIGH BAY

GEO 2 IP65 LED HIGH BAY with Selectable Wattage

70-150W | 4000K | 10500-21000lm | 50,000hrs | Dimmable



REMOTE CONTROLLABLE SENSOR

COMPATIBLE WITH MICROWAVE SENSOR

FLICKER FREE



Photometric data:
 Please refer to our
 website for up to
 date photometric
 information.


MEGAMAN®'s PERFORMA GEO 2 is a highly flexible remote controllable high bay fixture with variable wattage output and a robust IP65 & IK08 passive cooling structure.

New GEO 2 is an innovative high performance LED high bay fixture, that is designed for an easy single point, low labour cost installation. An ideal powerful energy saving lighting solution for large areas with some of today's most demanding environments.

+ BRINGING YOU MORE CHOICE!

See page 62 for MEGAMAN® ESSENTIALS LED HIGH BAY (KEO) economy option.

DIMENSIONS



5 Selectable Outputs

- 70W - 10500lm
- 90W - 13500lm
- 100W - 15000lm
- 125W - 18900lm
- 150W - 21000lm

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (H x Dia mm)
710931	70/90/100 125/150W	4000K / 80	10500/13500/15000 18900/21000	Y	110°	50,000	1347	201x300

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C



INDUSTRIAL | FLOODLIGHT

TOTT 2

MEGAMAN® PERFORMA
 TOTT 2. A NEW TOUGH
IP65 & IK08 CORROSION
AND UV RESISTANT
 VERSATILE RANGE OF
 LED FLOODLIGHTS.

FEATURES & BENEFITS

- Slim and extra light weight
- Non pre-flexed and push to fit connectors
- Textured diffuser
- Available in 4 different sizes
- Polymeric rust free housing
- IP65 and IK08 rated
- Adjustable fixing bracket +355°
- Wide area floodlight without glare
- Simple installation
- Suitable for outdoor use
- Flexible tilting and positioning
- Corrosion free & UV resistant housing



ACCESSORIES



710830 TOTT 2
 PIR Sensor.
 Compatible with
 710890, 710891 &
 710677



180294 TOTT 2
 Outreach Arm

Applications

- Commercial
- Domestic outdoor security lighting
- Signage
- Billboards
- Pillar facades
- Gate areas
- Retail



PIR Sensor option for additional security and energy saving. IP65 sealed construction.

Compatible with 24W, 45W & 85W versions.

- **FAST FIT**
- **PLUG+PLAY**
- **TOOLLESS INSTALL**



CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

INDUSTRIAL | FLOODLIGHT

TOTT 2 IP65 INTEGRATED LED FLOODLIGHT

9.5-85W | 4000K | 1050-10600lm | 50,000hrs |



Photometric data:
 Please refer to our website for up to date photometric information.

SLIM & EXTRA LIGHTWEIGHT

NOT PRE-FIXED


RUST FREE HOUSING

New PERFORMA TOTT 2 is a non pre-flexed slim, lightweight and integrated LED Floodlight range. Providing high lumen output, powerful and uniform floodlight illumination, that's perfect for numerous applications in the harshest environments.

BRINGING YOU MORE CHOICE!

See page 64 for MEGAMAN® ESSENTIALS LED FLOODLIGHT (VOSS) economy option.

DIMENSIONS



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (L x W x H mm)
710889	9.5W	4000K / 80	1050	N	100°	50,000	180	60x105x132
710890	24W	4000K / 80	2660	N	100°	50,000	390	79x197x179
710891	45W	4000K / 80	5000	N	100°	50,000	550	79x197x230
710677	85W	4000K / 80	10600	N	100°	50,000	1450	84x297x326

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

BULKHEAD | INDOOR

RENZO

**INNOVATIVE
 PLUG-AND-PLAY
 MODULAR SYSTEM
 DESIGN IN THREE
 DIFFERENT SIZES
 WITH UNIQUE
 MEGAMAN® LIGHTING
 CONTROL OPTIONS.**

FEATURES & BENEFITS

- Plug-and-play modular design enhances the installation flexibility
- 50,000 hours rated life
- IP44 rated
- Able to mix colour temperature through driver
- High power factor >0.9
- MEGAMAN® RENZO with microwave motion sensor can serve as a master device to control others
- Homogeneous light output with durable PMMA cover avoiding yellowing deterioration
- Suitable for wall and ceiling mounting
- Will not yellow with use
- Part L compliant
- Selectable lumen output (930/1400lm) for RENZO M and (930-2000lm) for RENZO L size
- BESA box mountable

ACCESSORIES



710286
 Microwave
 Motion Sensor



710267
 Emergency Kit



3 Year Warranty on
 both Microwave
 Motion Sensor and
 Emergency Kit.



710264
 RENZO S

710430
 RENZO M

710274
 RENZO L

RENZO MODULAR SYSTEM



CCT Technology Module
 Standard on all 3 sizes in the
 Renzo range



Emergency Kit Module



Microwave Motion Sensor
 Module



LED FIXTURES WITH
 INNOVATIVE ADDED
 VALUE FEATURES

BULKHEAD | INDOOR

RENZO INTEGRATED MODULAR LED BULKHEAD

11-22W | 3000K/4000K | 930-2000lm | 50,000hrs | Non-Dim Driver



PLUG & PLAY MODULAR DESIGN

FLICKER FREE


TOOLLESS & FAST INSTAL



Photometric data:
Please refer to our website for up to date photometric information.

MEGAMAN® RENZO consists of 3 unique MEGAMAN® luminaire design elements; Modular System, Switching CCT and Selectable lumen output. This together with 3 different sizes, provides a unique '1 Box' Plug-and-play modular system solution that enables wholesalers and installers, in-situ installation solutions according to their needs. Such as microwave motion sensor and emergency kit.

DIMENSIONS



See page 68 for MEGAMAN® ESSENTIALS INDOOR LED BULKHEAD (KATIA) economy option.

Order Code	Watts	Colour Temp (K) / CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (Dia x D mm)
710264 DUAL CCT*	11W	3000K / 80 4000K / 80	930 1000	N	110°	50,000	420	280x100
710430 DUAL CCT & DUAL OUTPUT	10W	3000K / 80 4000K / 80	930 1000	N	110°	50,000	530	330x110
	15W	3000K / 80 4000K / 80	1300 1400					
710274 DUAL CCT & TRI-LUMEN OUTPUT	10W	3000K / 80 4000K / 80	930 1000	N	110°	50,000	720	390x115
	15W	3000K / 80 4000K / 80	1300 1400					
	22W	3000K / 80 4000K / 80	1850 2000					

*RENZO S can fit either Emergency Kit or Microwave Sensor module.

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

MEGAMAN® PERFORMA | BULKHEAD FIXTURE

BULKHEAD | OUTDOOR

FONDA

PLUG-AND-PLAY MODULAR IP66 & IK10 LED BULKHEAD. DESIGNED TO PERFORM EFFECTIVELY AND EFFICIENTLY IN THE MOST DEMANDING ENVIRONMENTS.



ACCESSORIES



710438 Fonda Eyelid Trim Black



710437 Fonda Eyelid Trim White



710286 Microwave Motion Sensor



710354 Emergency Kit

Applications

- Residential/Commercial lighting
- Hotels
- Kitchens
- Corridors and stairwells
- Bathrooms (IP66)

FEATURES & BENEFITS

- Plug-and-play modular design enhances the installation flexibility
- IK10 vandal resistant rating
- Comes complete with security screws and key
- Corrosion free tough polycarbonate enclosure, UV resistant
- White and black options
- 50,000 hours rated life
- Soft diffused light with low glare and no unsightly hot spots
- MEGAMAN® Fonda Microwave Motion Sensor Module can be used as a master to standard versions (with loop through wiring) to create a more cost-effective way of installing.
- Suitable for numerous indoor and outdoor area applications
- Suitable for wall and ceiling mounting
- Simple and quick toolless push to fit wiring for cost saving install and maintenance
- BESA box mountable

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

BULKHEAD | OUTDOOR

FONDA IP66 INTEGRATED MODULAR LED BULKHEAD

10-14W | 4000K | 900lm | IK10 | 50,000hrs |



PLUG & PLAY MODULAR DESIGN

IK10 VANDAL RESISTANT

SIMPLE TOOLLESS PUSH FIT WIRING




Photometric data:
Please refer to our
website for up to
date photometric
information.



A stylish corrosion free integrated outdoor LED bulkhead with low glare diffuser, **MEGAMAN® FONDA Modular LED Bulkhead**, is a robust modular system designed to provide a flexible lighting solution; that can be easily adapted on site to meet a wide range of outdoor applications. Quick to install with toolless push to fit wiring.

DIMENSIONS



See page 70 for MEGAMAN® **ESSENTIALS OUTDOOR LED BULKHEAD (RONDA)** economy option.

Order Code	Watts	Colour Temp (K) / CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxD mm)
710298 (WHITE)	10W	4000K / 80	900	N	110°	50,000	820	300x85
710325 (BLACK)	10W	4000K / 80	900	N	110°	50,000	820	300x85
710297 WITH SENSOR (WHITE)	11W	4000K / 80	900	N	110°	50,000	865	300x85
710327 WITH SENSOR (BLACK)	11W	4000K / 80	900	N	110°	50,000	865	300x85
710386 EMERGENCY (WHITE)	14W	4000K / 80	900	N	110°	50,000	1050	300x85
710387 EMERGENCY (BLACK)	14W	4000K / 80	900	N	110°	50,000	1050	300x85

BATTEN | INDOOR

TONO

A COST-EFFECTIVE AND RELIABLE HIGH PERFORMANCE LED BATTEN THAT IS A TRUE ENERGY EFFICIENT & LONGER OPERATING LIFE REPLACEMENT FOR TRADITIONAL T5 & T8 FLUORESCENT TUBES.



Photometric data:
 Please refer to our website for up to date photometric information.

FEATURES & BENEFITS

- Integrated LED Batten
- Integrated driver
- Concealed clip system
- 110° beam angle
- 50,000 hours rated life (L70 B50 at Ta25°C)
- Flicker free (flicker Ratio <3% @100Hz)
- BESA box compatible
- Pre-wired from one end with a 500mm flylead
- Ideal alternative to T5 and T8 fluorescent fitting
- Perfect for a number of different applications
- Simple installation and easy maintenance
- Mounting is quick and tidy
- Wide light distribution
- Reduced maintenance costs
- Highly competitively priced LED batten



PRE-WIRED FROM ONE END WITH 500MM FLYLEAD

Applications

- Residential lighting
- Under cabinet lighting
- Staircases
- Corridors



UK BESA box compatible



LED FIXTURES WITH INNOVATIVE ADDED VALUE FEATURES

BATTEN | INDOOR

TONO INTEGRATED LED BATTEN

20-62W | 3000K-6500K | 2050-6550lm | 50,000hrs |




SLIM DESIGN

QUICK & EASY INSTALLATION

WIDE LIGHT DISTRIBUTION

DIMENSIONS



MEGAMAN® PERFORMA TONO is a cost-effective and reliable indoor LED batten that is a true replacement for T5 and T8 fluorescent tubes. A highly flexible and energy efficient LED fixture compared to traditional battens; that offers a longer lifetime and significantly lower operational costs. Ensuring a payback that meets the needs of the specification market.

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxW xH mm)
180380	2ft 21W	3000K / 80	2050	N	110°	50,000	225	600x75x24mm
180342E	2ft 20W	4000K / 80	2200	N	110°	50,000	225	600x75x24mm
180390	2ft 21W	6500K / 80	2200	N	110°	50,000	225	600x75x24mm
180382	3ft 31W	3000K / 80	3050	N	110°	50,000	310	900x75x24mm
180344	3ft 31W	4000K / 80	3300	N	110°	50,000	310	900x75x24mm
180392	3ft 31W	6500K / 80	3300	N	110°	50,000	310	900x75x24mm
180384	4ft 42W	3000K / 80	4050	N	110°	50,000	385	1200x75x24mm
180346E	4ft 38W	4000K / 80	4350	N	110°	50,000	385	1200x75x24mm
180394E	4ft 38W	6500K / 80	4350	N	110°	50,000	385	1200x75x24mm
180386E	5ft 48W	3000K / 80	5200	N	110°	50,000	475	1500x75x24mm
180348E	5ft 48W	4000K / 80	5600	N	110°	50,000	475	1500x75x24mm
180396	5ft 52W	6500K / 80	5600	N	110°	50,000	475	1500x75x24mm
180388	6ft 62W	3000K / 80	6100	N	110°	50,000	575	1800x75x24mm
180350	6ft 62W	4000K / 80	6550	N	110°	50,000	575	1800x75x24mm
180398	6ft 62W	6500K / 80	6550	N	110°	50,000	575	1800x75x24mm

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

BATTEN | INDOOR

FARRON

**MEGAMAN® PERFORMA
 FARRON INTEGRATED LED
 BATTEN WITH SINGLE AND
 TWIN OUTPUT OPTIONS FOR
 GREATER LIGHTING CONTROL
 WITH SIGNIFICANT ENERGY
 AND MAINTENANCE SAVING.**

**BESA BOX
 COMPATIBLE**

FEATURES & BENEFITS

- Integrated LED batten with single and twin output options
- Variable and selectable wattages and lumen output
- BESA box compatible
- Optional built-in Microwave Motion Sensor and 3 hour Emergency Kit option available
- 120° beam angle
- 50,000 hours rated life
- High lumen output of up to 6400lm
- Emergency test at the end of batten for ease of use in situ
- Direct 1 to 1 replacement of T5 & T8 conventional linear fluorescent battens
- Easy installation with ability to connect both ends by 25mm conduit and 25mm knockout holes
- Permanent live to facilitate the use of a non-maintained emergency luminaire and sensor modules
- Option to conceal cable entry
- Cable entries and through wiring allows for linear series connection
- Control lighting when not in use
- Wide and even light distribution
- Low flicker ≤8%

Standard Version



Emergency Version



Applications

- Residential lighting
- Commercial lighting
- Public areas
- Schools and universities
- Warehouses
- Corridors

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

BATTEN | INDOOR

FARRON INTEGRATED LED BATTEN with optional built-in Microwave Motion Sensor

10-52W | 4000K | 1000-6400lm | 50,000hrs | Single & Twin Output



Photometric data:
 Please refer to our website for up to date photometric information.


SELECTABLE WATTAGE

QUICK & EASY INSTALLATION & WIRING

EASY TO USE EMERGENCY OPTION

MEGAMAN® PERFORMA LED batten FARRON, is direct replacement for conventional indoor battens that offers both single and twin output options in one box. FARRON offers substantial energy and maintenance savings through variable and selectable wattages and lumen output. Built-in microwave motion sensor and 3 hour emergency kit options.

DIMENSIONS



See page 72 for MEGAMAN® ESSENTIALS INDOOR LED BATTEN (GARRON) economy option.

Order Code		Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxH mm)
180360	2ft	10/21W	4000K / 80	1000/2100	N	120°	50,000	950	600x80x65
180362	4ft	20/40W	4000K / 80	2000/4000	N	120°	50,000	1720	1200x80x65
180364	5ft	22/52W	4000K / 80	2600/5200	N	120°	50,000	2270	1500x80x65
180372 SENSOR	5ft	22/52W	4000K / 80	2600/5200	N	120°	50,000	2270	1500x80x65
180368 EMERGENCY	5ft	22/52W	4000K / 80	2600/5200	N	120°	50,000	2270	1500x80x65
180376 EMERGENCY & SENSOR	5ft	22/52W	4000K / 80	2600/5200	N	120°	50,000	2270	1500x80x65
180366	6ft	26/52W	4000K / 80	3400/6400	N	120°	50,000	2660	1800x80x65
180374 SENSOR	6ft	26/52W	4000K / 80	3400/6400	N	120°	50,000	2660	1800x80x65
180370 EMERGENCY	6ft	26/52W	4000K / 80	3400/6400	N	120°	50,000	2660	1800x80x65
180378 EMERGENCY & SENSOR	6ft	26/52W	4000K / 80	3400/6400	N	120°	50,000	2660	1800x80x65

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

BATTEN | INDOOR & OUTDOOR

DINO 2

MEGAMAN® PERFORMA
DINO 2 IS A TOUGH IP66
WATERPROOF & IK08
VANDAL PROOF BATTEN
IDEAL FOR BOTH OUTDOOR
AND INDOOR APPLICATIONS.

Permanent Live Option



L1: Permanent Live
 L2: Switched Live

4-wire connection, allows unswitched live supply to the luminaire or appliances (i.e. CCTV, security alarm system, smoke detector, etc) when the switch is off

ACCESSORIES



DINO 2 PIR sensor enables a master and slave light system

Applications

- Car Parks
- Warehouses
- Workshops
- Underground areas
- Outdoor areas

FEATURES & BENEFITS

- Integrated LED batten
- Available in a range of sizes and wattages
- Permanent live option
- Optional cable gland covers available
- PIR Sensor Module available
- 120° beam angle
- 50000 hours rated life (L70 B50 at Ta 25°C)
- High lumen output of up to 6500lm
- Up to 123lm/W
- Offering 4-pole option
- Ideal alternative to T5 and T8 linear outdoor fluorescent luminaires
- Perfect for a number of different applications and spaces
- Simple installation and easy maintenance
- Permanent live to facilitate the use of a non-maintained emergency luminaire and sensor modules
- Option to conceal cable entry
- Cable entries and through wiring allows for linear series connection
- Control lighting when not in use
- Wide and even light distribution
- Reduced maintenance costs



190800 DINO 2
PIR Sensor



711102 DINO 2
Emergency Kit



190750 DINO 2
End Covers



190740 DINO 2
Suspension Clips



190742 DINO 2
Brackets for theft protection



LED FIXTURES WITH
 INNOVATIVE ADDED
 VALUE FEATURES

BATTEN | INDOOR & OUTDOOR

DINO 2 IP66 ANTI-CORROSIVE INTEGRATED LED BATTEN with PIR Sensor & Emergency Kit options

19-53W | 4000K | 1800-6500lm | 50,000hrs |



ANTI-CORROSIVE IP66 LINEAR BATTEN

SUPERIOR REPLACEMENT FOR T5 & T8 BATTENS

RANGE OF SIZES & WATTAGES




Photometric data:
Please refer to our website for up to date photometric information.

MEGAMAN® PERFORMA DINO 2 is designed to offer an ideal alternative to T5 and T8 waterproof battens for outdoor and indoor applications. It comes with sliding stainless steel clips for easy and flexible installation. The permanent live option of MEGAMAN® DINO 2 allows unswitched live supply to the luminaire or appliances (i.e. sensors, emergency lighting, CCTV, security alarm system, smoke detector and so on.) when the switch is off.

PIR sensor and emergency lighting options are available.

DIMENSIONS



Max. number of connections

- 65 units for 191000
- 59 units for 191002
- 34 units for 191004
- 39 units for 191006
- 23 units for 191008

* Based on using 1.5mm² wire
* Number of looping up to 6A Max.



BRINGING YOU MORE CHOICE!

See page 74 for MEGAMAN® ESSENTIALS OUTDOOR LED BATTEN (RUCCA) economy option.

Order Code		Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxH mm)
191000	2.3ft	19W	4000K / 80	1800	N	120°	50,000	679	723x60x54
191002	4.3ft	21W	4000K / 80	2350	N	120°	50,000	1194	1323x60x54
191004	4.3ft	36W	4000K / 80	4300	N	120°	50,000	1571	1323x60x54
191006	5.3ft	32W	4000K / 80	3600	N	120°	50,000	1307	1623x60x54
191008	5.3ft	53W	4000K / 80	6500	N	120°	50,000	1627	1623x60x54

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

BATTEN | CHEMICAL RESISTANT

DINO 2 FARM

MEGAMAN® PERFORMA
DINO 2 FARM IS SPECIFICALLY
DESIGNED TO WITHSTAND
THE HARSH ENVIRONMENTS
FOUND IN MODERN INTENSIVE
FARMING.



Permanent Live Option



L1: Permanent Live
 L2: Switched Live

4-wire connection, allows unswitched live supply to the luminaire or appliances (i.e. CCTV, security alarm system, smoke detector, etc.) when the switch is off.

FEATURES & BENEFITS

- Integrated LED batten
- Permanent live option
- Chemical resistant housing
- PIR Sensor Module available
- IP66 and IK04 high impact resistance rated
- 50000 hours rated life (L80 B10 at Ta 25°C)
- High lumen output of up to 6500lm
- Energy saving efficacies of up to 123lm/W
- Offering 4-pole option
- Ideal low energy alternative to T5 and T8 linear fluorescent luminaires
- Ammonia resistant, making it perfect for the demanding and often harsh farm environments
- Simple fast-fix stainless steel mounting clips for easy installation
- Permanent live to facilitate the use of a non-maintained emergency luminaire and sensor modules
- Option to conceal cable entry
- Control lighting when not in use
- Wide and even light distribution
- Reduced maintenance costs

ACCESSORIES



DINO 2 PIR sensor enables a master and slave light system



190800 DINO 2
PIR Sensor



190750 DINO 2
End Covers



190740 DINO 2
Suspension Clips



190742 DINO 2
Brackets for theft protection

Applications

- Agricultural environments
- Livestock husbandry; poultry, cattle and pigs
- Workshops
- Greenhouses
- Outdoor areas

MEGAMAN® PERFORMA | BATTEN FIXTURE

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

BATTEN | CHEMICAL RESISTANT

DINO 2 FARM IP66 ANTI-CORROSIVE INTEGRATED LED BATTEN with PIR Sensor option

35-53W | 4000K | 4300-6500lm | 50,000hrs |



ANTI-CORROSIVE IP66 LINEAR BATTEN

CHEMICAL & AMMONIA RESISTANT HOUSING

PERMANENT LIVE OPTION



Photometric data: Please refer to our website for up to date photometric information.



Max. number of connections

- 34 units for 190796
- 23 units for 190798


* Based on using 1.5mm² wire
 * Number of looping up to 6A Max.

LEDs need special protection from the aggressive chemical atmospheres in agricultural applications. **MEGAMAN® PERFORMA DINO 2 FARM** is designed to solve the problem in challenging areas such as animal husbandry. The chemical resistant housing materials, and the IP66 and IK04 ratings for ingress protection with high impact resistance enable it to withstand harsh farm environments. Furthermore, the tool-less wiring and fast fixing stainless steel mounting clips enable easy installation.



DLG certified with ammonia resistant and is applicable for high pressure cleaning with a minimum distance of 15cm.

DIMENSIONS



Order Code		Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxH mm)
190796	4.3ft	35W	4000K / 80	4300	N	120°	50,000	1060	1323x60x54
190798	5.3ft	53W	4000K / 80	6500	N	120°	50,000	1194	1623x60x54

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

DOWNLIGHT | FULLY FIRE-RATED

TEGO 2

SIMPLE AND EASY FINGERTIP CONTROL OVER BOTH BEAM ANGLE & COLOUR TEMPERATURE. ALL WITHOUT THE NEED OF TOOLS OR REMOVING TEGO 2 FROM THE CEILING.



TWIST lens cover to change **COLOUR TEMP!**



PUSH lens cover to change **BEAM ANGLE!**



FEATURES & BENEFITS

- TEGO 2 Selectable Dual CCT (2800K or 4000K) is easily activated by a simple twist of the lens once the fixture is installed.
- Press lens front cover to change beam angle with MEGAMAN® Dual Beam Technology
- Toolless wiring block and push-in terminal ensure easy install
- Flexible Loop in/Loop out feature enables for quick connection
- Range of magnetised bezel cover accessories available in 3 design finishes (Black, Chrome & Brushed Nickel)
- IP65 rated
- Flicker free $\leq 3\%$
- 7.5W with a 650lm output
- Triac Dimming
- 50,000 hour rated life
- Change colour temperature & beam angle with simple fingertip control of lens front cover, with TEGO 2 still in the ceiling
- Versatile range of interchangeable bezel covers available. Easily changed with fixture still in the ceiling, by clicking onto magnetised bezel ring
- TEGO 2 removes the need to 'make good' a ceiling, as all changes can be made from the front of the fitting - saving both time and money!
- Aluminium thermal insulation guard included in box

ACCESSORIES



711085
TEGO 2
Chromium
finish bezel



711087
TEGO 2
Brushed Nickel
finish bezel



711088
TEGO 2
Black finish
bezel

Applications

- Retail
- Offices
- Hotels
- Receptions
- Corridors
- Restaurants
- Bathrooms
- Kitchens



**NO TOOLS.
NO MESS.**
 REMOVES CEILING
 'MAKE GOOD'
 WORRIES FOR
 CONTRACTORS



DOWNLIGHT | FULLY FIRE-RATED

TEGO 2 INTEGRATED FULLY FIRE-RATED LED DOWNLIGHT with Dual Beam Technology (DBT) and Selectable Dual CCT

7.5W | IP65 | 2800K or 4000K | 650lm | 50,000hrs | Dimmable |



SELECTABLE DUAL CCT 2800 or 4000K

2 BEAM ANGLES IN ONE FIXTURE

FULLY FIRE-RATED 30/60/90 MINUTE

SIMPLE TOOLLESS WIRING

New MEGAMAN® TEGO 2 complies to BS476 Part 21 and is designed to withstand fire for up to 30, 60 and 90 minutes. With Megaman's innovative Dual Beam Technology (DBT), TEGO 2 has two beam angles - 60° and 36° - available by simply pressing the lens front cover. Dual CCT 2800K & 4000K can also be activated by a simple twist of the integrated LED lamp lens cover.

Dimmable and IP65 rated with a lumen output of 650lm at 7.5W, the TEGO 2 integrated downlight is ideal for environments with higher moisture, such as bathrooms and kitchens.





See page 76 for MEGAMAN® ESSENTIALS FIRE-RATED LED DOWNLIGHT (TEGO SLIM) economy option.



Photometric data: Please refer to our website for up to date photometric information.

DIMENSIONS



Loop through wiring adaptor

Order Code	Watts	Dual CCT Colour Temp (K) / CRI	Lumens (lm)	IP Rating (IP)	Colour/ Finish	Dimmable	Hrs Lamp Life (max)	Dimensions (HxD mm)	Hole Cut-Out (mm)	Beam Angle (DBT)
711183	7.5W	2800 or 4000 / 80 Switchable	650	IP65	Matt White	Y	50,000	72x90	68	36° or 60°

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

DOWNLIGHT | FIRE-RATED

TEGO

MEGAMAN® PERFORMA TEGO
IS AN IP65 HIGHLY ENERGY
EFFICIENT FIRE-RATED
DOWNLIGHT THAT OFFERS
EASY INSTAL AND THE
BENEFITS OF BETTER STOCK
MANAGEMENT

TILT
ADJUSTABLE
WITH A RANGE OF
INTERCHANGEABLE
CONTEMPORARY
FINISH BEZELS

Up to
84
lm/W



Interchangeable fixed and adjustable bezel covers available in 3 different finishes; Chromium, Brushed Nick and White.

FEATURES & BENEFITS

- TEGO enables easy switch to 3000K or 4000K colour temperature with unique Colour Changing Technology (CCT)
- Toolless wiring block and push-in terminal ensure easy install
- Flexible Loop in/Loop out feature enables for quick connection
- Triac Dimmable as standard
- Range of bezel accessories available in 3 design finishes (White, Chrome & Brushed Nickel)
- IP65 rated on fixed versions
- 4 Year warranty
- Fully fire-rated for 30/60/90 minute ceilings
- 5W version has ability to be tilt adjustable with tilt bezel accessories
- Versatile range of interchangeable bezels allows for multitude of finishes with minimal stock lines and space

ACCESSORIES



519036 TEGO
FIXED Chromium
finish bezel
519040 TEGO
ADJUSTABLE
Chromium
finish bezel



519038 TEGO
FIXED Brushed
Nickel finish bezel
519042 TEGO
ADJUSTABLE
Brushed Nickel
finish bezel

519034 TEGO ADJUSTABLE White



PERFORMA TEMPUS®

TEGO Compatible
Emergency Pack
EMC Compliant

EMG147247



Designed specifically for
MEGAMAN® LEDs
See page: XX

Applications

- Retail
- Offices
- Hotels
- Receptions
- Corridors
- Restaurants
- Bathrooms
- Kitchens

CALL: 01707 386000
EMAIL: SALES@MEGAMANUK.COM

DOWNLIGHT | FIRE-RATED

TEGO INTEGRATED FULLY FIRE-RATED LED DOWNLIGHT with Selectable Dual CCT

5W | IP65 | 3000K or 4000K | 420lm | 50,000hrs | Dimmable |



SELECTABLE DUAL CCT 3000 or 4000K

FULLY FIRE-RATED 30/60/90 MINUTE

SIMPLE TOOLLESS WIRING





Photometric data: Please refer to our website for up to date photometric information.



PERFORMA TEGO by MEGAMAN® is a fully integrated fire-rated highly energy efficient LED downlight, featuring our impressive Colour Changing Technology (CCT), which allows for switching to either 3000K warm white or 4000K cool white colour temperature. Triac Dimmable as standard and IP65 rated on all fixed versions. This flexible Loop in/ Loop out easy to install downlight is supplied fixed as standard; with the 5W version having the ability to be tilt adjustable. There is a range of interchangeable different finish fixed and tilt bezel accessories available.

DIMENSIONS



Loop through wiring adaptor

+ BRINGING YOU MORE CHOICES!



See page 76 for MEGAMAN® ESSENTIALS FIRE-RATED LED DOWNLIGHT (TEGO SLIM) economy option.

Order Code	Watts	Dual CCT Colour Temp (K) / CRI	Lumens (lm)	IP Rating (IP)	Colour/ Finish	Dimmable	Hrs Lamp Life (max)	Dimensions (HxD mm)	Hole Cut-Out (mm)	Beam Angle (DBT)
519030	5W *With tilt bezel	3000 or 4000 / 80 Switchable	400 (3000K) 420 (4000K)	IP65 IP20*	Matt White	Y	30,000	70x85	73	36°

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

DOWNLIGHT | RECESSED

MILENA

MEGAMAN® PERFORMA
MILENA IS A COST EFFECTIVE AND IDEAL QUICK & EASY RETROFIT REPLACEMENT FOR TRADITIONAL PL COMMERCIAL DOWNLIGHT INSTALLATIONS



MILENA DOWNLIGHTS
 IDEAL RETROFIT FOR EXISTING INSTALLATIONS & THEIR CUT-OUTS

Applications

- Retail
- Offices
- Hotels
- Receptions
- Restaurants
- Bathrooms
- Kitchens

FEATURES & BENEFITS

- Recessed integrated LED downlight
- Downlight unit consists of dual-lumen output & dual-CCT LED light engine
- Switchable CCT of warm 3000K or cool 4000K light
- Built-in driver
- IP54
- 50,000 hours rated life (L80 B10 at Ta 25°C)
- Flicker free $\leq 3\%$
- The modular components design allows toolless assembly in-situ
- Flexible design enables a faster delivery period for customised requirements, which is an ideal solution for short lead time projects
- Total control and flexibility from Milena modular downlight system is ideal for retrofit in existing conventional installations and their ceiling cut-outs
- Toolless install allows for quick install and maintenance
- Wide and uniform light distribution



MILENA's modular design allows quick and easy install and maintenance



LED FIXTURES WITH INNOVATIVE ADDED VALUE FEATURES

DOWNLIGHT | RECESSED

MILENA INTEGRATED LED DOWNLIGHT with Selectable Dual CCT and Dual Lumen Output

6.5-25W | IP54 | 3000K or 4000K | 600-27000lm | 50,000hrs |



SELECTABLE DUAL CCT 3000 or 4000K

SIMPLE TOOLLESS MODULAR ASSEMBLY

DUAL LUMEN OUTPUT UP TO 2700LM



!
 Photometric data:
 Please refer to our website for up to date photometric information.


MEGAMAN® MILENA is a compact modular downlight unit consisting of dual-lumen output & dual-CCT LED light engine and is perfect for use directly under thermal insulated ceiling recesses.

The luminaire offers maximum visual comfort by high cut-off angle for better glare control and low flicker to avoid eye fatigue.

+ BRINGING YOU MORE CHOICE!

See page 78 for MEGAMAN® ESSENTIALS LED DOWNLIGHT (MILENALITE) economy option.

DIMENSIONS



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	IP Rating (IP)	Colour/ Finish	Hrs Lamp Life (max)	Dimensions (H x Dia mm)	Hole Cut-Out (mm)	Beam Angle
710709	6.5/9W	3000K or 4000K / 80 Switchable	600/830 (3000K) 650/900 (4000K)	IP54	Matt White	50,000	87x130	100	100°
710689	18/23W	3000K or 4000K / 80 Switchable	1670/2230 (3000K) 1800/2400 (4000K)	IP54	Matt White	50,000	87x172	150	100°
710691	19.5/25W	3000K or 4000K / 80 Switchable	1860/2500 (3000K) 2000/2700 (4000K)	IP54	Matt White	50,000	97x225	200	100°

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

SPECIAL ORDERS | NEW FIXTURES

BY ORDER ONLY



EKON IP66 OUTDOOR STADIUM INTEGRATED LED FLOODLIGHT

MEGAMAN® PERFORMA EKON is a high lumen stadium floodlight that delivers exceptional lighting performance up to 17500lm with 140lm/W efficiency. EKON offers symmetric & asymmetric options for uniform light, which deliver a highly focused light beams with low glare and enhanced photometric control.



For further details please call MEGAMAN® sales on 01707 386000 or your local MEGAMAN® BDM



MEGAMAN® PERFORMA | SPECIAL ORDERS

BY ORDER ONLY

TITO IP66 OUTDOOR INTEGRATED LED FLOODLIGHT



MEGAMAN® PERFORMA TITO is a dedicated LED floodlight that is highly energy efficient; with up to 60% energy saving delivered throughout the 4 different size floodlight range. TITO has a slim and robust corrosion resistant aluminium housing, together with IP66 & IK08 rating. Making this truly versatile and cost effect replacement for discharge lamp floodlights.

For further details please call MEGAMAN® sales on 01707 386000 or your local MEGAMAN® BDM



SPECIAL ORDERS | NEW FIXTURES

BY ORDER ONLY

ESTELA 2 INTEGRATED LED LOUVRE PANEL

NEW

MEGAMAN® PERFORMA ESTELA 2 is a contemporary design LED louvre panel that provides a high quality and flicker free uniform light, that is ideal for hard working office environments.

For further details please call MEGAMAN® sales on 01707 386000 or your local MEGAMAN® BDM

5YR
WARRANTY

MEGAMAN®
Performa
FIXTURE RANGE
HIGH PERFORMANCE & QUALITY FROM MEGAMAN®

BY ORDER ONLY

XAVIER INTEGRATED LED TRACK PANEL

NEW

MEGAMAN® PERFORMA XAVIER is a complete LED Track system especially designed to deliver a perfect and uniform distribution of light; that is ideal for shop and retail applications.

For further details please call MEGAMAN® sales on 01707 386000 or your local MEGAMAN® BDM

5YR
WARRANTY

MEGAMAN®
Performa
FIXTURE RANGE
HIGH PERFORMANCE & QUALITY FROM MEGAMAN®

TRACK LIGHTING



High performance and innovative integrated LED track downlights from the MEGAMAN® PERFORMA fixture range.

PERFORMA TRACK LIGHTING | LED TRACK LIGHT



MARCO MINI TRACK LIGHT P34



MARCO MIdI DUAL BEAM TRACK LIGHT P36



MARCO TRACK LIGHT P38



3-CIRCUIT TRACK SYSTEM P38

MEGAMAN®'s highly energy efficient and stylish **TRACK LIGHT FIXTURES** provide ideal replacements for conventional halogen and metal halide applications; whilst offering superior and often a more versatile lighting solutions, as demonstrated in the highly flexible and innovative Dual Beam Technology (DBT) found in our MARCO Midi integrated LED track light. This advanced LED beam shaping technology enables the Megaman MARCO track lights to have two beam angles (25°/45°) to choose from, making it ideal for a host of demanding retail and commercial applications.

Find out what you can achieve by specifying Megaman's latest high quality LED lighting technology in or with our integrated and non-integrated track light fixtures and using them to their maximum effect!



TRACK LIGHTING | INTEGRATED LED

MARCO MINI

MEGAMAN® **PERFORMA MARCO MINI** IS A CLASSIC UNDERSTATED DESIGN INTEGRATED LED TRACK LIGHT, THAT OFFERS HIGH COLOUR RENDERING AND ENERGY EFFICIENCY.

FEATURES & BENEFITS

- Compact LED track light with an understated classic design and concealed driver
- Replacement for 75W halogen/20W CDM-Rm
- Excellent colour rendering index of 97 with MEGAMAN® Ultra Rich Colour option
- Very efficient with up to 83lm/W
- Adjustable arm for multi-directional lighting: 330° horizontal rotation and 90° vertical tilting angle
- Easy to understand mechanism, no electrician needed
- High colour consistency SDCM≤3
- White aluminium finish



MULTI
 DIRECTIONAL
 HIGH QUALITY
 AND HIGH
 PERFORMANCE
 LIGHTING



Applications

- Retail
- Shop lighting
- Hotels
- Receptions
- Restaurants
- Museums
- Galleries



LED FIXTURES WITH
 INNOVATIVE ADDED
 VALUE FEATURES

TRACK LIGHTING | INTEGRATED LED

MARCO MINI INTEGRATED LED TRACK LIGHT
 with Built-in Driver

12W | IP20 | 2800K / 4000K | 950-1000lm | 25,000hrs |



COMPACT LED TRACK LIGHT

IDEAL REPLACEMENT FOR 75W HALOGEN

ENERGY EFFICIENT UP TO 83LM/W




Photometric data:
 Please refer to our
 website for up to
 date photometric
 information.



MEGAMAN® PERFORMA MARCO MINI is an understated classic design and built-in driver Integrated LED Track light incorporates Hybrid Reflector Technology which offers commercial users superb colour rendering and beam control, which is essential for all retail environments.

DIMENSIONS



Order Code	Watts	Colour Temp (K)	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Colour/ Finish	Weight (g)	Dimensions (LxD mm)	Rotation
164004	12W	2800K / 80	950	N	36°	25,000	White	170	160x50	330°
164006	12W	4000K / 80	1000	N	36°	25,000	White	170	160x50	330°

TRACK LIGHTING | INTEGRATED LED

MARCO MIDI

MEGAMAN® **PERFORMA MARCO MIDI** IS AN INNOVATIVE & VERY FLEXIBLE INTEGRATED LED TRACK LIGHT, THAT INCORPORATES MEGAMAN®'S GROUND BREAKING DUAL BEAM TECHNOLOGY (DBT).



MARCO MIDI
 WITH INNOVATIVE
 DUAL BEAM
 TECHNOLOGY

FEATURES & BENEFITS

- MEGAMAN®'s groundbreaking Dual Beam Technology (DBT) giving dynamic full control of two beam angles (25°/45°) from a single fixture
- Compact LED track light with a built-in driver
- Replacement for 35W Metal Halide/CDM-Rm
- Excellent colour rendering index of 97 with MEGAMAN® Ultra Rich Colour option
- Very efficient with up to 91.6lm/W
- 50,000 hour rated life at L70, B50 at Ta25°C
- Adjustable arm for multi-directional lighting: 330° horizontal rotation and 90° vertical tilting angle
- High colour consistency SDCM≤3
- Optional accessories of spread/rectangular lens, barn doors and coloured filters are also available for improved glare control
- 2 beam options for a wide range of display applications
- A variety of lighting control accessories are available

DBT



HOW IT WORKS - The mechanism that makes Dual Beam illumination possible is cleverly engineered into the DBT enabled luminaire. To shape the beam angle of such luminaire, simply apply a push action on the front lens. This unique mechanism enables users to switch beam angles instantly from a narrow beam to a wide beam and vice versa.

DUAL BEAM TECHNOLOGY

Applications

- Retail
- Shop lighting
- Hotels
- Receptions
- Restaurants
- Museums
- Galleries

TRACK LIGHTING | INTEGRATED LED

MARCO MIDI INTEGRATED DUAL BEAM LED TRACK LIGHT with Built-in Driver

24W | IP20 | 3000K / 4000K | 2100-2200lm | 50,000hrs |



COMPACT LED TRACK LIGHT


IDEAL REPLACEMENT FOR 75W HALOGEN

ENERGY EFFICIENT UP TO 91.6LM/W



Photometric data:
 Please refer to our website for up to date photometric information.

DIMENSIONS



With an understated classic design and built-in driver, the **MEGAMAN® PERFORMA MARCO MIDI** integrated LED Track light is equipped with MEGAMAN® groundbreaking LED lighting technology – the **Dual Beam Technology (DBT)**, it is dedicated to enhance the flexibility of beam angles in one single luminaire and help to facilitate inventory management.

DBT is an innovative approach for switching the size of the light spot with a finger press on lens. With this technology one can shape the light spot of the lamp / luminaire from a narrow beam angle to a wider beam angle.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Colour/ Finish	Weight (g)	Dimensions (LxD mm)	Rotation
144004	24W	3000K / 80	2100	N	25° / 45°	50,000	White	1225	198x65	330°
144006	24W	4000K / 80	2200	N	25° / 45°	50,000	White	1225	198x65	330°

TRACK LIGHTING | INTEGRATED LED

MARCO

MEGAMAN® **PERFORMA MARCO**
A HIGH QUALITY AND POWERFUL
INTEGRATED LED TRACK
DOWNLIGHT, DESIGNED TO
ENHANCE TODAY'S DEMANDING
RETAIL & DISPLAY ENVIRONMENTS.



FEATURES & BENEFITS

- Compact LED track light with an understated classic design and concealed driver
- Replacement for 75W halogen/20W CDM-Rm
- Excellent colour rendering index of 97 with MEGAMAN® Ultra Rich Colour option
- Very efficient with up to 96lm/W
- Adjustable arm for multi-directional lighting: 330° horizontal rotation and 90° vertical tilting angle
- Easy to understand mechanism, no electrician needed
- High colour consistency SDCM≤3
- White aluminium finish

IGNITE THE SPENDING POWER

Retail shopping is exciting and fast-paced and a quality lighting scheme can make a big difference in this setting. It can create a welcoming environment increasing the amount of time customers spend in the shop and increasing the chances of a purchase by bringing colours in products to life. MEGAMAN®'s innovative LED Track Downlights, both integrated and non-integrated, are built with design in mind, they are environmentally friendly, stylish and have zero heat emissions.



LED FIXTURES WITH
INNOVATIVE ADDED
VALUE FEATURES

TRACK LIGHTING | INTEGRATED LED

MARCO INTEGRATED LED TRACK with Built-in Driver


37-52W | IP20 | 4000K | 2100-5000lm | 50,000hrs |



Photometric data:
 Please refer to our website for up to date photometric information.

MEGAMAN® PERFORMA MARCO
 an understated classic design and built-in driver Integrated LED Track light incorporates Hybrid Reflector Technology which offers commercial users superb colour rendering and beam control, which is essential for all retail environments.

DIMENSIONS



- Applications
- Retail
 - Shop lighting
 - Hotels
 - Receptions
 - Restaurants
 - Museums
 - Galleries

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Colour/Finish	Weight (g)	Dimensions (LxD mm)	Rotation
164010	37W	4000K / 80	2100	N	25°	50,000	White	1225	248x110	330°
164014	37W	4000K / 80	2200	N	45°	50,000	White	1225	248x110	330°
164022	52W	4000K / 80	5000	N	45°	50,000	White	1225	248x110	330°

MEGAMAN® PERFORMA | TRACK LIGHTING

TRACK LIGHTING | INTEGRATED LED

ACCESSORIES

Extensive range of accessories allows for versatility and limitless design options, can add or remove track spots easily as required.



Live end connector
 - Left feed
 161011 (WHITE)
 161013 (BLACK)



Live end connector
 - Right feed
 161014 (WHITE)
 161016 (BLACK)



End cap
 161017 (WHITE)
 161019 (BLACK)



Mechanical coupler
 161020 (WHITE)
 161022 (BLACK)



Mechanical insulated
 coupler
 161023 (WHITE)
 161025 (BLACK)



Straight electrical-
 mechanical coupler
 161026 (WHITE)
 161028 (BLACK)



L-Coupler - Left
 161029 (WHITE)
 161031 (BLACK)



L-Coupler - Right
 161032 (WHITE)
 161034 (BLACK)



T-Coupler left -
 Outside
 161035 (WHITE)
 161037 (BLACK)



T-Coupler left
 - Inside
 161038 (WHITE)
 161040 (BLACK)



T-Coupler right
 - Outside
 161041 (WHITE)
 161043 (BLACK)



T-Coupler right
 - Inside
 161044 (WHITE)
 161046 (BLACK)



X-Coupler
 161047 (WHITE)
 161049 (BLACK)



Flexible coupler
 161050 (WHITE)
 161052 (BLACK)



Ceiling wall mounting
 kit
 161053 (WHITE)
 161055 (BLACK)



Suspension kit
 161053

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

TRACK LIGHTING | INTEGRATED LED

3-CIRCUIT SYSTEM TRACK



TOUGH ALUMINIUM PROFILE

EXTENSIVE RANGE OF ACCESSORIES


SURFACE MOUNTED OR SUSPENDED

MEGAMAN® PERFORMA 3-CIRCUIT TRACK SYSTEM is a high quality three circuit display lighting solution with ageless appeal and simple proven functionality and reliability.

FEATURES & BENEFITS

- 3 circuit surface mounted track, 230V 16A
- Tough aluminium profile in 1m and 2m lengths
- Universal track configuration
- Available in black and white
- Accessories including flexible joints, couplers and connectors sold separately
- 3 circuits allow for multiple scene setting options to create varied effects
- Suitable for wide variety of Megaman track spots 3800W loading potential across 3 circuits

DIMENSIONS



Order Code	Colour	Length (m)
161001	White	1m
161003	Black	1m
161004	White	2m
161006	Black	2m

Applications:

- Retail lighting
- Museums and galleries
- Showrooms
- Exhibitions

TEMPUS® EMERGENCY SELF-TEST LIGHTING



MEGAMAN® PERFORMA TEMPUS® new range of high quality maintained and non-maintained self-test emergency lighting solutions.

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



SLIM IP65 BULKHEAD P46



HIGH BAY DOWNLIGHT P50



OPEN AREA RECESSED DOWNLIGHT P54



EXIT METAL LIGHT BOX P47



MID BAY DOWNLIGHT P51



CORRIDOR RECESSED DOWNLIGHT P55



EXIT PLASTIC SIGN P48



OPEN AREA DOWNLIGHT P52



EMERGENCY KIT FOR LED PANELS P56



ULTRA SLIM RECESSED EXIT SIGN P49



CORRIDOR DOWNLIGHT P53



MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



SLIM BULKHEAD EMERGENCY 3 HOUR MAINTAINED / NON-MAINTAINED

4W | IP65 | 6500K | 140lm | 3 hrs | Self-Test |



IP65 EMERGENCY BULKHEAD

FAST & EASY SURFACE MOUNTED INSTAL

3 HOUR EMERGENCY POWER TIME




FEATURES & BENEFITS

- 3 hour power time duration
- Included advanced high specification Ni-MH battery
- IP65 dust and weatherproof
- Corrosion resistant, durable polycarbonate housing
- Maintained/Non-maintained operation mode
- Green and red colour status LED indicator
- All direction exit sign stickers included
- Fast & easy surface mounted installation
- Multi-purpose application
- Self-test button located at the bottom of the fixture

MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

DIMENSIONS



All direction exit sign stickers included



See page 84 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY SLIM BULKHEAD economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
711052	4W	6500K	140	3.6V 1000mAh Ni-MH	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	610	352x110x67

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



EXIT METAL LIGHT BOX EMERGENCY 3 HOUR MAINTAINED / NON-MAINTAINED

5W | IP20 | 6500K | 35lm | 3hrs | Self-Test |



MULTI-PURPOSE APPLICATION


ANTI-CORROSION STEEL HOUSING

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hour power time duration
- Included advanced high specification Ni-Cd battery
- Durable steel housing with anti-corrosion powder coating
- Maintained / Non-maintained operation mode
- Integral green and red colour status LED indicator
- Supplied with arrow down legend - other options available
- Light in weight, so easy wall mounting install
- Easy to add all exit direction legend options available
- Multi-purpose application
- Self-test button located at the bottom of the fixture

DIMENSIONS



ACCESSORIES

- 710478** Arrow Left Legend
- 710479** Arrow Right Legend
- 710491** Arrow Up Legend



See page 85 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY EXIT METAL LIGHT BOX economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
711051	5W	6500K	35	3.6V 1800mAh Ni-Cd	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	390x190x62

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



**EXIT PLASTIC SIGN EMERGENCY 3 HOUR
WALL MOUNTED NON-MAINTAINED**

3.5W | IP20 | 6500K | 35lm | 3 hrs | Self-Test |



ULTRA SLIM PLASTIC EMERGENCY EXIT SIGN


FAST & EASY WALL MOUNTED INSTALLATION

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- Wall mounted emergency exit sign
- 3 hour power time duration
- 24 hour charge time
- Included advanced high specification Ni-MH battery
- 850°C glow-wiring test
- Non-maintained operation mode
- Green and red colour status LED indicator
- Polycarbonate construction
- Light in weight for easy install
- Easy mounting 1-side pictogram options available
- Comply with EN60598-1, EN 60598-2-22, UN 38 3 & IEC 62133
- Self-test button located at the bottom of the fixture

DIMENSIONS



ACCESSORIES

- 710489 Arrow Left/Right PVC Legend
- 710492 Arrow Up PVC Legend



See page 87 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY EXIT PLASTIC SIGN economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
711050	3.5W	6500K	35	3.6V 1000mAh Ni-MH	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	316x54x196

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



ULTRA SLIM RECESSED EXIT SIGN

EMERGENCY 3 HOUR MAINTAINED

2.6W | 6500K | 35lm | 3 hrs | Self-Test |

CLASS II

20
 YEARS
 WARRANTY

PER
 BOX
 1/6

2YR
 WARRANTY

NEW



ULTRA SLIM 2 SIDED EMERGENCY EXIT SIGN


6500K ILLUMINATION ACROSS EXIT LEGEND

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- Recessed emergency exit sign
- 3 hour power time duration
- 24 hour charge time
- Included advanced high specification Ni-MH battery
- 850°C glow-wiring test
- Maintained operation mode
- Green and red colour status LED indicator
- Polycarbonate and aluminium construction:
- Compact and light in weight for easy install
- Comply with EN60598-1, EN 60598-2-22, UN 38 3 & IEC 62133
- Self-test button located at the bottom of the fixture

DIMENSIONS



Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
711049	2.6W	6500K	35	3.6V 1000mAh Ni-MH	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	610	365x100x238

MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



HIGH BAY DOWNLIGHT EMERGENCY SURFACE MOUNTED 3 HOUR NON-MAINTAINED

2W | IP54 | 6000K | 200lm | 3 hrs | Self-Test |



IP54 SELF-TEST HIGH BAY DOWNLIGHT


FAST & EASY SURFACE MOUNTED INSTAL

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hours emergency duration
- Able to work in high bay areas?
- Non-maintained operation mode
- IP54 Protection
- Compact in size
- Advanced LiFePO4 battery
- Green and red colour status LED indicator
- Touch self-testing button located at the bottom of fixture
- High Bay optics of 30m max height
- Comply with EN 60598-2-22, UN 38.3 and IES 62133
- Overcharge and over-discharge protection, over-temperature protection, short circuit protection

DIMENSIONS



Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
711365	2W	6000K	200	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	18°	130x130x35

MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



**LOW BAY DOWNLIGHT EMERGENCY
SURFACE MOUNTED 3 HOUR NON-MAINTAINED**

2W | IP54 | 6000K | 200lm | 3 hrs | Self-Test |

IP54 IK02 CLASS II 20 PER BOX 1/40

2YR
WARRANTY



IP54 SELF-TEST LOW BAY DOWNLIGHT


FAST & EASY SURFACE MOUNTED INSTAL

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hours emergency duration
- Able to work in high bay areas?
- Non-maintained operation mode
- IP54 Protection
- Compact in size
- Advanced LiFePO4 battery
- Green and red colour status LED indicator
- Touch self-testing button located at the bottom of fixture
- Low Bay optics of 20m max height
- Comply with EN 60598-2-22, UN 38.3 and IES 62133
- Overcharge and over-discharge protection, over-temperature protection, short circuit protection

DIMENSIONS



Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
711366	2W	6000K	200	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	45°	130x130x35

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



OPEN AREA DOWNLIGHT EMERGENCY SURFACE MOUNTED 3 HOUR NON-MAINTAINED

1W | IP54 | 6000K | 130lm | 3 hrs | Self-Test |

2YR
WARRANTY



IP54 SELF-TEST COMPACT DOWNLIGHT


FAST & EASY SURFACE MOUNTED INSTAL

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP54 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch self-testing button located at the bottom of fixture
- 850°C glow-wiring test
- 50,000 hours rated life
- Green and red colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133

DIMENSIONS



BRINGING YOU MORE CHOICE!

See page 90 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY OPEN AREA DOWNLIGHT economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
711046	1W	6000K	130	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	130x130x35

MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



CORRIDOR DOWNLIGHT EMERGENCY SURFACE MOUNTED 3 HOUR NON-MAINTAINED

1W | IP54 | 6000K | 200lm | 3 hrs | Self-Test |

2YR
WARRANTY



IP54 SELF-TEST COMPACT DOWNLIGHT


FAST & EASY SURFACE MOUNTED INSTAL

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP54 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch self-testing button located at the bottom of fixture
- 850°C glow-wiring test
- 50,000 hours rated life
- Green and red colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133

DIMENSIONS



+
BRINGING YOU MORE CHOICE!

See page 91 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY CORRIDOR economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
711047	1W	6000K	130	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	130x130x35

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



**OPEN AREA DOWNLIGHT EMERGENCY
RECESSED 3 HOUR NON-MAINTAINED**

1W | IP20 | 6000K | 120lm | 3 hrs | Self-Test |



IP20 SELF-TEST ULTRA-LOW PROFILE DOWNLIGHT

FAST & EASY RECESSED INSTALLATION


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP20 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch self-testing button located at the bottom of fixture
- 850°C glow-wiring test
- 50,000 hours rated life
- Green and red colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133

DIMENSIONS



ø36mm Hole Cut-out



See page 88 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY OPEN AREA DOWNLIGHT economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (WxDia mm)
711044	1W	6000K	120	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	23x40

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



CORRIDOR DOWNLIGHT EMERGENCY RECESSED 3 HOUR NON-MAINTAINED

1W | IP20 | 6000K | 120lm | 3 hrs | Self-Test |



IP20 SELF-TEST ULTRA-LOW PROFILE DOWNLIGHT

FAST & EASY RECESSED INSTALLATION


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP20 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch self-testing button located at the bottom of fixture
- 850°C glow-wiring test
- 50,000 hours rated life
- Green and red colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133

DIMENSIONS



ø36mm Hole Cut-out



See page 89 for MEGAMAN® ESSENTIALS TEMPUS® EMERGENCY CORRIDOR economy option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (WxDia mm)
711045	1W	6000K	120	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	23x40

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



EMERGENCY KIT FOR LED PANELS

3 HOUR EMC COMPLIANT

2.5W | 3 hrs | Self-Test |



COMPACT SELF-CONTAINED & LIGHTWEIGHT


SELV CONSTANT CURRENT OUTPUT

3 HOUR EMERGENCY POWER TIME

FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch self-testing button and integral status indicator (Flexible for LED module with a forward voltage of 10-90VDC)
- 850°C glow-wiring test
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133
- Comes with connector for quick and easy plug and play installations

DIMENSIONS



MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

Order Code	Watts	Battery	Battery Duration	Working Temp.	Rated Supply	Weight	Dimensions (LxWxH mm)
711048	2.5W	6.4V 1500mAh LiFePO4	3 hours	0°C - +40°C	220VAC / 50-60Hz	233	199x55.2x24.5

TEMPUS® EMERGENCY LIGHTING | SELF-TEST



MEGAMAN® PERFORMA | TEMPUS® EMERGENCY SELF-TEST

LED FIXTURES

MEGAMAN® ESSENTIALS
TEMPUS® new range of
everyday great value for
money indoor and outdoor
LED fixtures.

ALL
ROUND
BEST VALUE
&
CHOICE

MEGAMAN® ESSENTIALS | LED FIXTURES RANGE



BERTO BACKLIT LED PANEL P60



KATA INDOOR LED BULKHEAD P68



TEGO SLIM FIRE-RATED DOWNLIGHT P76



KEO LED HIGH BAY P62



RONDA OUTDOOR LED BULKHEAD P70



MILENALITE LED DOWNLIGHT P78



VOSS LED FLOODLIGHT P64



GARRON INDOOR LED BATTEN P72



KANA LED DOWNLIGHT



VOSS LED FLOODLIGHT WITH PIR SENSOR P66



ROCCA SINGLE & TWIN INDOOR BATTEN P74



MEGAMAN® ESSENTIALS | LED FIXTURES


COMMERCIAL | LED PANEL

BERTO

GREAT VALUE FOR MONEY **ESSENTIALS**
BERTO BACKLIT TPa LED PANELS DELIVER A FLICKER FREE AND LOW GLARE EVEN LIGHT DISTRIBUTION AND ARE IDEAL FOR LIMITED CEILING ACCESS APPLICATIONS.

FEATURES & BENEFITS

- High performance Backlit TPa LED \leq UGR22 panels
- Comes with non dimming driver
- Surface and suspension mounting kits available separately
- 110° beam angle
- 50,000 hours rated life
- Up to 100 lumen per system watt efficacy
- Perfect for shallow ceiling voids
- Quick & easy installation
- Lightweight LED panel with non discolouring TPa rated diffusers
- Flexible installation methods - surface mounted or suspended
- Suitable for use in exposed T-grid ceilings
- 5 Year warranty on panel & driver
- Long maintenance period and low lumen depreciation
- Can be used as part of a Part L building compliance



Loop through wiring adaptor

ACCESSORIES



710502BACKLIT
Emergency Kit for Backlit panels with connectors



710941
DALI Driver 199x55x24.5mm



710940
Loop Through Junction Box with 3 Pin



130212
Suspension Kit for Panel, 1.8m



130214
Suspension Kit for Panel, 1.0m



710933 Surface Mounted Ceiling Frame, 595mmx595mm



COMMERCIAL | LED PANEL

BERTO BACKLIT TP_a LED PANEL

36W-43W | 4000K/6500K | 3600-4600lm | 50,000hrs |



SQUARE & RECTANGULAR SLIM LED PANELS

EASY PUSH TO FIT CONNECTORS

NON DISCOLOURING TP_a DIFFUSERS




Photometric data:
Please refer to our website for up to date photometric information.

MEGAMAN® ESSENTIALS BERTO

BACKLIT TP_a LED Panel is a integrated lighting solution that facilitates easy installation and maintenance. It delivers a high luminous efficacy up to 110lm/W – matching the lighting levels of 3 x 18W T8 and 3 x 24W HE T5 fluorescent modular fittings.

DIMENSIONS



See page 6 for MEGAMAN® **PERFORMA BERTO SIDELIT LED PANEL** high quality and performance option.


Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Dimensions (LxWxH mm)
710675 UGR22 TP _a BACKLIT (SQUARE) X2 PANEL	36W	4000K / 80	3600	N	110°	50,000	595x595x33
710676 UGR22 TP _a BACKLIT (SQUARE) X2 PANEL	36W	6500K / 80	3600	N	110°	50,000	595x595x33
711081 UGR22 TP _a BACKLIT (RECTANGULAR) X1 PANEL	43W	4000K / 80	4600	N	110°	50,000	595x1195x33
711082 UGR22 TP _a BACKLIT (RECTANGULAR) X1 PANEL	43W	6500K / 80	4600	N	110°	50,000	595x1195x33

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C


INDUSTRIAL | HIGH BAY

KEO


MEGAMAN® ESSENTIALS KEO IS AN ALL ROUND GREAT VALUE FOR MONEY ROBUST IP65 RATED MODERN LED HIGH BAY. IDEAL FOR DEMANDING LARGE AREA APPLICATIONS.



711260 - 100W



711261 - 150W




711263 - 200W

FEATURES & BENEFITS

- Replacement for traditional high bay in durable die-cast aluminium with anti-corrosion powder coating
- High luminous efficacy with up to 135lm/W
- Easy installation with single point hook mounting design
- IP65 protection and high vandal resistant with IK08
- 50,000hrs@L70B50 @Ta40°C
- Twist and lock modular microwave motion sensor option
- Surface mounted bracket as optional accessory
- Equipped with 100cm length H05RN-F 3*1.0mm2 power cable
- High surge protection level: 4000V (L-N) ; 6000V (L,N-PE)
- Operation temperature -30 to +50

ACCESSORIES



711264
Microwave
Motion Sensor



711321
100W Surface
Mounting Bracket



711322
150W Surface
Mounting Bracket



711323
200W Surface
Mounting Bracket



711320
Motion Sensor
Remote Control

Applications

- Shopping centres
- Retail stores
- Hospitals
- General lighting

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

INDUSTRIAL | FLOODLIGHT

VOSS

MEGAMAN® ESSENTIALS VOSS
 IS A NEW AND HIGHLY FLEXIBLE
 RANGE OF COST EFFECTIVE AND
 RELIABLE, HIGH LUMEN AND
 ENERGY EFFICIENT LED
 FLOODLIGHTS. IDEAL EVERYDAY
 LIGHTING SOLUTION AT A REALLY
 COMPETITIVE PRICE.

FEATURES & BENEFITS

- Slim and extra light weight
- Pre-flexed with 500mm fly lead
- Textured diffuser
- Available in 5 different sizes
- Die cast aluminium housing
- IP65 and IK08 rated
- Adjustable fixing bracket $\pm 180^\circ$
- Wide area floodlight without glare
- Simple installation
- Suitable for outdoor use
- Flexible tilting and positioning
- Corrosion free & UV resistant housing. Tempered glass.



711285 - 10W



711286 - 20W



711288 - 50W



711289 - 100W



711291 - 200W

Applications

- Commercial
- Domestic outdoor security lighting
- Signage
- Billboards
- Pillar facades
- Gate areas
- Retail



INDUSTRIAL | FLOODLIGHT

VOSS INTEGRATED LED FLOODLIGHT

10W-200W | IP65 | 4000K | 900-18000lm | 50,000hrs |



COST EFFECTIVE IP65 LED FLOODLIGHTS

EASY INSTAL WITH PUSH TO FIT CONNECTORS

EFFICIENT HEAT DISSIPATION

MEGAMAN® ESSENTIALS VOSS is a new range of cost effective integrated LED floodlights with a slim and efficient heat dissipation profile that offers a wide range of high lumen lighting solution. Equipped with a u-shaped bracket, the luminaire can be rotated 180° adjustment for lighting.




Photometric data: Please refer to our website for up to date photometric information.

711291 - 200W



See page 12 for MEGAMAN® **PERFORMA TOTT 2 LED FLOODLIGHT** high performance range.

DIMENSIONS



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (L x W x H mm)
711285	10W	4000K / 80	900	N	110°	30,000	270	103x23x104
711286	20W	4000K / 80	1800	N	110°	30,000	340	121x24x119
711288	50W	4000K / 80	4500	N	110°	30,000	740	206x36x195
711289	100W	4000K / 80	9000	N	110°	30,000	1200	274x32x238
711291	200W	4000K / 80	18000	N	110°	30,000	3100	381x40x324

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

INDUSTRIAL | FLOODLIGHT

VOSS
with PIR
Sensor

MEGAMAN® ESSENTIALS VOSS IS AN ALL ROUND GREAT VALUE FOR MONEY ROBUST RANGE OF MODERN SLIM LED FLOODLIGHTS WITH PIR SENSOR FOR ADDED SECURITY AND ENERGY SAVING.

FEATURES & BENEFITS

- Slim and extra light weight
- Pre-flexed with 500mm fly lead
- Textured diffuser
- Available in 3 different sizes
- Die cast housing
- IP54 and IK08 rated
- Adjustable fixing bracket ±180°
- Wide area floodlight without glare
- Simple installation
- Suitable for outdoor use
- Flexible tilting and positioning
- Corrosion free & UV resistant housing. Tempered glass.



MEGAMAN® ESSENTIALS | INDUSTRIAL FIXTURES



Applications

- Commercial
- Domestic outdoor security lighting
- Signage
- Billboards
- Pillar facades
- Gate areas
- Retail

CALL: 01707 386000
EMAIL: SALES@MEGAMANUK.COM

INDUSTRIAL | FLOODLIGHT

VOSS INTEGRATED LED FLOODLIGHT with PIR Sensor

11W-51W | IP54 | 4000K | 900-45000lm | 50,000hrs |



Photometric data:
Please refer to our
website for up to
date photometric
information.




COST EFFECTIVE IP65 LED FLOODLIGHT

PIR SENSOR FOR ADDED SECURITY

EFFICIENT HEAT DISSIPATION

MEGAMAN® ESSENTIALS VOSS is a new range of cost effective integrated LED floodlights with a slim and efficient heat dissipation profile that offers a wide range of high lumen lighting solution. Equipped with a u-shaped bracket, the luminaire can be rotated 180° adjustment for lighting.

DIMENSIONS



See page 12 for MEGAMAN® **PERFORMA TOTT 2 LED FLOODLIGHT** high performance range.

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (L x W x H mm)
711292	11W	4000K / 80	900	N	110°	30,000	400	104x45x154
711293	21W	4000K / 80	1800	N	110°	30,000	470	121x45x163
711295	51W	4000K / 80	4500	N	110°	30,000	830	206x45x230

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

BULKHEAD | INDOOR

KATIA

MEGAMAN® **ESSENTIALS KATIA** IS A REALLY STYLISH SLIM AND HIGHLY EFFICIENT LED BULKHEAD THAT PROVIDES IS THE IDEAL REPLACEMENT FOR TRADITIONAL CEILING LIGHTING SOLUTIONS.

FEATURES & BENEFITS

- Round and slim profile
- 4 sizes and wattages to choose from
- Direct alternatives to traditional wall and ceiling lamp
- Easy installation
- IP40 protection
- Operation temperature -20°C to 40°C



Easy Installation



711329 - 12W



711330 - 18W



711331 - 24W



711332 - 36W



BULKHEAD | INDOOR

KATIA INTEGRATED LED INDOOR BULKHEAD

12W-36W | IP40 | 4000K | 1200-3600lm | 25,000hrs |



ULTRA SLIM IP40 LED BULKHEAD

EASY TOOLLESS INSTALLATION

FLICKER FREE




Photometric data:
Please refer to our
website for up to
date photometric
information.

NEW MEGAMAN® ESSENTIALS KATIA is a new range of cost effective range of stylish and ultra slim integrated LED indoor bulkheads. ESSENTIALS KATIA is designed to provide an even light from either wall or ceiling to illuminate the whole room with comfort.

BRINGING YOU MORE CHOICE!

See page 14 for MEGAMAN® **PERFORMA RENZO LED BULKHEAD** high performance range.

DIMENSIONS



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (Dia x H mm)
711329	12W	4000K / 80	1200	N	120°	25,000	250	220x40
711330	18W	4000K / 80	1800	N	120°	25,000	370	290x42
711331	24W	4000K / 80	2400	N	120°	25,000	530	350x43
711332	36W	4000K / 80	3600	N	120°	25,000	760	450x48

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -20°C to +50°C

BULKHEAD | OUTDOOR

RONDA

IP65 & IK08 RATED
ESSENTIALS RONDA
 IS MEGAMAN®'S NEW
 ROBUST AND GREAT
 VALUE FOR MONEY
 ROBUST MODERN
 LED BULKHEAD.
 IDEAL FOR
 DEMANDING
 OUTDOOR
 ENVIRONMENTS.

FEATURES & BENEFITS

- Cost effective LED Outdoor Bulk-head solution for mains voltage
- UV resistant opal diffuser
- Robust IK08 vandal resistant
- IP65 waterproof protection
- Up to 92lm/W
- Operation temperature -20°C to 40°C

MEGAMAN® ESSENTIALS | INDUSTRIAL FIXTURES



711411 - 12W



711412 - 18W



711413 - 24W

Applications

- Car parks
- Warehouses
- Stairwells
- Corridors

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

BATTEN | INDOOR

GARRON

MEGAMAN® **ESSENTIALS**
GARRON IS A NEW AND
FLEXIBLE RANGE OF GREAT
VALUE FOR MONEY INDOOR
LED BATTENS. OFFERING A
HARD TO BEAT, GOOD
QUALITY EVERYDAY
LIGHTING SOLUTION.

FEATURES & BENEFITS

- Replacement for conventional indoor batten
- 4 different lengths - 2ft, 4ft, 5ft and 6ft
- Easy installation and toolless wiring
- BESA box compatible
- Traditional batten appearance

BESA BOX
COMPATIBLE

Applications

- Residential lighting
- Schools
- Corridors
- Warehouses

2FT
10/17W

4FT
20/40W

5FT
30/60W

6FT
40/65W



BATTEN | WEATHERPROOF IP65



FEATURES & BENEFITS

- Replacement for conventional waterproof fluorescent battens
- 3 different length 1200mm, 1500mm and 1800mm
- Easy installation and toolless wiring
- Robust IP65 and IK08 rated
- BESA box compatible
- 40,000 hours rated
- Single and twin output versions

MEGAMAN® ESSENTIALS ROCCA IS A NEW ROBUST IP65 WEATHERPROOF LED BATTEN THAT COMES IN SINGLE AND TWIN OUTPUT VERSIONS. ROCCA IS THE IDEAL, ENERGY SAVING AND GREAT VALUE FOR MONEY REPLACEMENT FOR TRADITIONAL FLUORESCENT BATTENS.

Applications

- Car parks
- Warehouses
- Stairwells
- Corridors

BESA BOX
COMPATIBLE

CALL: 01707 386000
 EMAIL: SALES@MEGAMANUK.COM

BATTEN | WEATHERPROOF IP65

ROCCA WEATHERPROOF IP65 INTEGRATED LED BATTEN SINGLE & TWIN OUTPUT

20W-35W | IP65 | 4000K | 2500-4200lm | 40,000hrs | Flicker Free



SINGLE & TWIN & OUTPUT VERSIONS

QUICK & TOOLLESS INSTALLATION


BESA BOX COMPATIBLE



Photometric data:
Please refer to our
website for up to
date photometric
information.

NEW MEGAMAN® ESSENTIALS
ROCCA is the ideal LED replacement for traditional fluorescent waterproof battens. Providing a reliable and good quality standard of light; with substantial energy and maintenance savings. Available in both single and twin output versions, new ROCCA is an essential everyday economy lighting solution.

DIMENSIONS



See page 22 for MEGAMAN® PERFORMA DINO 2 LED BATTEN high performance range.

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxWxH mm)
711345 SINGLE OUTPUT	20W	4000K / 80	2500	N	110°	40,000	1200	1270x74x74
711346 SINGLE OUTPUT	28W	4000K / 80	3600	N	110°	40,000	1800	1570x74x74
711347 SINGLE OUTPUT	34W	4000K / 80	4200	N	110°	40,000	3000	1870x74x74
711342 TWIN OUTPUT	40W	4000K / 80	4800	N	110°	40,000	1300	1270x116x74
711343 TWIN OUTPUT	56W	4000K / 80	6000	N	110°	40,000	2050	1570x116x74
711344 TWIN OUTPUT	70W	4000K / 80	8400	N	110°	40,000	3100	1870x116x74

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +45°C

DOWNLIGHT | FIRE-RATED

TEGO SLIM

BRUSH NICKEL FINISH



Slim and compact design, ideal for shallow ceiling depth installations

FEATURES & BENEFITS

- Available as 2800K/430 lumen and 4000K/450 lumen versions
- Toolless wiring block and push-in terminal ensure easy install
- Flexible Loop in/Loop out feature enables forquick connection
- Triac Dimmable as standard
- Available in either White or Brushed Nickel finishes
- IP65 rated. Ideal for high moisture areas e.g. bathrooms
- 3 Year warranty
- Fully fire-rated for 30/60/90 minute ceilings
- Slim and compact design ideal for shallow ceiling recesses
- Competitively priced
- High quality, high performance LED downlight
- Great value 10 Pack

ESSENTIALS TEGO SLIM IS MEGAMAN®'S FLEXIBLE FIRE-RATED, ECONOMY LED DOWNLIGHT THAT FEATURES FLEXIBLE LOOP IN/LOOP OUT TERMINALS AND TOOLLESS WIRING FOR QUICK INSTALLATION.



WHITE FINISH
Flexible cord between luminaire and terminal block that facilitates easy installation



DOWNLIGHT | FIRE-RATED

TEGO SLIM INTEGRATED FIRE-RATED LED DOWNLIGHT

5.5W | IP65 | 2800-4000K | 430-450lm | 25,000hrs |



Photometric data: Please refer to our website for up to date photometric information.

COMPACT & SLIM IP65 LED DOWNLIGHT



FIRE-RATED 30/60/90 MINUTE

TRIAC DIMMING AS STANDRAD

MEGAMAN®'s new ESSENTIALS TEGO SLIM is a compact and slim design LED downlight that's ideal for shallow ceiling recesses. Flexible Loop in/loop out feature and toolless wiring enables quick connection and installation.

TEGO Slim is IP65 rated, making it ideal for use in high moisture areas such as bathrooms & kitchens. Available with either White or Brush Nickel bezel finishes.

DIMENSIONS



Loop through wiring adaptor



See page 28 for MEGAMAN® **PERFORMA TEGO 2 FULLY FIRE-RATED LED DOWNLIGHT** high performance range.

Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Beam Angle	Hrs Lamp Life (max)	Hole Cut-Out (mm)	Dimensions (Dia x H mm)
711126 10 PACK MATT WHITE	5.5W	2800K / 80	430	Y	90°	25,000	70	83x51
711128 10 PACK BRUSHED NICKEL	5.5W	2800K / 80	430	Y	90°	25,000	70	83x51
711140 10 PACK MATT WHITE	5.5W	4000K / 80	450	Y	90°	25,000	70	83x51
711142 10 PACK BRUSHED NICKEL	5.5W	4000K / 80	450	Y	90°	25,000	70	83x51

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +45°C

DOWNLIGHT | INDOOR

MILENALITE

15W
3000K
4000K
6500K



24W
3000K
4000K
6500K



FEATURES & BENEFITS

- Recessed integrated LED downlight
- Available in 3000K, 4000K and 6500K colour temperatures
- Built-in driver
- IP20 and IK03
- 25,000 hours rated life (L70 B50 at Ta 25°C)
- Low in height and suitable for limited ceiling depths
- No external driver required which facilitates easy installation and maintenance
- Milenalite is ideal for retrofit in existing conventional installations and their ceiling cut-outs
- Wide and uniform light distribution

ESSENTIALS MILENALITE IS MEGAMAN'S FLEXIBLE NEW COMPACT AND SLIM ECONOMY RECESSED DOWNLIGHT. IDEAL RETROFIT REPLACEMENT FOR CONVENTIONAL DOWNLIGHTS & THEIR EXISTING CUT-OUTS.

Applications:

- General purpose applications
- Retail
- Hotels
- Offices
- Restaurants

CALL: 01707 386000
EMAIL: SALES@MEGAMANUK.COM

DOWNLIGHT | INDOOR

MILENALITE INTEGRATED LED DOWNLIGHT

15W-24W | IP20 | 3000-6500K | 1300-1950lm | 30,000hrs |



NO EXTERNAL DRIVER NEEDED

IDEAL RETROFIT FOR CONVENTIONAL DOWNLIGHTS



SLIM DESIGN FOR LIMITED CEILING DEPTHS

MEGAMAN® ESSENTIALS MILENALITE is a cost effective replacement for traditional PL commercial downlights with high luminous efficacy and energy saving benefits. MEGAMAN® MILENALITE is a compact and slim integrated LED downlight perfect for use in limited ceiling depths and in existing ceiling cut-outs of conventional recessed downlight installations .



Photometric data:
Please refer to our website for up to date photometric information.

DIMENSIONS



See page 31 for MEGAMAN® PERFORMA MILENA DOWNLIGHT high performance range.


Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	IP Rating (IP)	Colour/ Finish	Dimmable	Hrs Lamp Life (max)	Dimensions (HxDia mm)	Hole Cut-Out (mm)	Beam Angle
710871	15W	3000K / 80	1300	IP20	White	N	25,000	30x175	150	120°
710872	15W	4000K / 80	1300	IP20	White	N	25,000	30x175	150	120°
710873	15W	6500K / 80	1300	IP20	White	N	25,000	30x175	150	120°
710874	24W	3000K / 80	1950	IP20	White	N	25,000	30x225	200	120°
710875	24W	4000K / 80	1950	IP20	White	N	25,000	30x225	200	120°
710876	24W	6500K / 80	1950	IP20	White	N	25,000	30x225	200	120°

Output and lamp life stated are maximum 'up to' figures achieved. Operating temperature -30°C to +40°C

KANA

FEATURES & BENEFITS

- Compact recessed integrated LED downlight
- Flicker Free
- IP40
- 30,000 hours rated life (L70 B50 at Ta 25°C)
- Replacement for traditional CFL downlights
- No external driver required which facilitates easy installation and maintenance
- Delivers uniform light distribution
- Range of sizes allowing retrofit for many conventional downlights in existing ceiling cut-outs
- Slim design suitable for limited ceiling depths



NEW ESSENTIALS KANA IS A RELIABLE AND COST EFFECTIVE COMPACT ECONOMY RECESSED DOWNLIGHT. IDEAL RETROFIT REPLACEMENT FOR CONVENTIONAL DOWNLIGHTS AND THEIR EXISTING CUT-OUTS. SAVING TIME & MONEY.

Applications:

- Retail
- Hotels
- Offices
- Restaurants
- Bathroom




TEMPUS® EMERGENCY LIGHTING

ALL
ROUND
BEST VALUE
&
CHOICE

MEGAMAN® ESSENTIALS
TEMPUS® new range of
everyday great value for
money maintained and
non-maintained emergency
lighting solutions.

TEMPUS® EMERGENCY LIGHTING |



MEGAMAN® ESSENTIALS | TEMPUS® EMERGENCY LIGHTING

TEMPUS® EMERGENCY LIGHTING |



SLIM BULKHEAD EMERGENCY 3 HOUR MAINTAINED / NON-MAINTAINED

4W | IP65 | 6500K | 140lm | 3 hrs |



IP65 EMERGENCY BULKHEAD

FAST & EASY SURFACE MOUNTED INSTAL


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- Included advanced high specification Ni-MH battery
- IP65 dust and weatherproof
- Corrosion resistant, durable polycarbonate housing
- Maintained/Non-maintained operation mode
- Green colour status LED indicator
- All direction exit sign stickers included
- Fast & easy surface mounted installation
- Multi-purpose application

DIMENSIONS



All direction exit sign stickers included



See page 46 for MEGAMAN® **PERFORMA TEMPUS®** SELF-TEST EMERGENCY SLIM BULKHEAD performance option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
710474	4W	6500K	140	3.6V 1000mAh Ni-MH	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	610	352x110x67

TEMPUS® EMERGENCY LIGHTING |



EXIT METAL LIGHT BOX EMERGENCY 3 HOUR MAINTAINED / NON-MAINTAINED

5W | IP20 | 6500K | 35lm | 3hrs |



MULTI-PURPOSE APPLICATION

ANTI-CORROSION STEEL HOUSING


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- Included advanced high specification Ni-Cd battery
- Durable steel housing with anti-corrosion powder coating
- Maintained / Non-maintained operation mode
- Integral green colour status LED indicator
- Supplied with arrow down legend - other options available
- Light weight for easy wall installation
- Easy to swap/replace directional legend
- Multi-purpose application

DIMENSIONS



ACCESSORIES

- 710478** Arrow Left Legend
- 710479** Arrow Right Legend
- 710491** Arrow Up Legend



See page 47 for MEGAMAN® PERFORMA TEMPUS®
SELF-TEST METAL EXIT LIGHT BOX high performance option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
710476	5W	6500K	35	3.6V 1800mAh Ni-Cd	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	390x190x62

TEMPUS® EMERGENCY LIGHTING |



SUSPENDED EMERGENCY EXIT SIGN CEILING OR CORD MOUNTED 3 HOUR NON-MAINTAINED

3.5W | IP20 | 6500K | 35lm | 3 hrs |



ULTRA SLIM EMERGENCY EXIT SIGN

FLEXIBLE CEILING OR CORD MOUNTED


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- Ceiling and cord suspended emergency exit sign
- 3 hour power time duration
- 24 hour charge time
- Included advanced high specification Ni-MH battery
- 850°C glow-wiring test
- Non-maintained operation mode
- Green colour status LED indicator
- Polycarbonate construction
- Light in weight for easy install
- Flexible ceiling & cord suspended mounted in one fitting
- Max. 350mm length suspension cord
- Easy mounting 2-side pictograms options available

DIMENSIONS



ACCESSORIES

- 710489 Arrow Left/Right Legend
- 710492 Arrow Up Legend

BRINGING YOU MORE CHOICE!

See page 49 for MEGAMAN® SELF-TEST PERFORMA TEMPUS® RECESSED SLIM EMERGENCY EXIT SIGN option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
710487	3.5W	6500K	35	3.6V 1000mAh Ni-Mh	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	316x24x235-576

TEMPUS® EMERGENCY LIGHTING |



PLASTIC EMERGENCY EXIT WALL MOUNTED 3 HOUR NON-MAINTAINED

3.5W | IP20 | 6500K | 35lm | 3 hrs |

ULTRA SLIM EMERGENCY EXIT SIGN

NEAT POLYCARBONATE PICTURE FRAME STYLE


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- Wall mounted emergency exit sign
- 3 hour power time duration
- 24 hour charge time
- Included advanced high specification Ni-MH battery
- 850°C glow-wiring test
- Non-maintained operation mode
- Green colour status LED indicator
- Polycarbonate construction
- Light in weight for easy install
- Easy mounting 1-side pictogram options available

DIMENSIONS



ACCESSORIES

- 710489 Arrow Left/Right Legend
- 710492 Arrow Up Legend



See page 48 for MEGAMAN® PERFORMA TEMPUS® EMERGENCY EMERGENCY EXIT high performance option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
710488	3.5W	6500K	35	3.6V 1000mAh Ni-Mh	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	316x24x196

TEMPUS® EMERGENCY LIGHTING |



OPEN AREA DOWNLIGHT EMERGENCY
RECESSED 3 HOUR NON-MAINTAINED

1W | IP20 | 6000K | 120lm | 3 hrs |



IP20 SELF-TEST ULTRA-LOW PROFILE DOWNLIGHT

FAST & EASY RECESSED INSTALLATION


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP20 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch testing button
- 850°C glow-wiring test
- 50,000 hours rated life Green colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38 3 & IEC 62133

DIMENSIONS



ø36mm Hole Cut-out

BRINGING YOU MORE CHOICE!

See page 54 for MEGAMAN® PERFORMA TEMPUS® SELF-TEST RECESSED OPEN AREA DOWNLIGHT option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (WxDia mm)
710480	1W	6000K	120	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	23x40

TEMPUS® EMERGENCY LIGHTING |



CORRIDOR DOWNLIGHT EMERGENCY RECESSED 3 HOUR NON-MAINTAINED

1W | IP20 | 6000K | 120lm | 3 hrs |



IP20 SELF-TEST ULTRA-LOW PROFILE DOWNLIGHT

FAST & EASY RECESSED INSTALLATION


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP20 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch testing button
- 850°C glow-wiring test
- 50,000 hours rated life
- Green colour status LED indicator
- SELV Constant current output
- Comply with EN 60598-2-22, UN 38.3 & IEC 62133

DIMENSIONS



ø36mm Hole Cut-out



See page 55 for MEGAMAN® PERFORMA TEMPUS® SELF-TEST EMERGENCY CORRIDOR DOWNLIGHT option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (WxDia mm)
710481	1W	6000K	120	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	23x40

TEMPUS® EMERGENCY LIGHTING |



OPEN AREA DOWNLIGHT EMERGENCY SURFACE MOUNTED 3 HOUR NON-MAINTAINED

1W | IP54 | 6000K | 130lm | 3 hrs |



IP54 SELF-TEST COMPACT DOWNLIGHT

FAST & EASY SURFACE MOUNTED INSTAL


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP54 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch testing button
- 850°C glow-wiring test
- 50,000 hours rated life
- Green colour status LED indicator
- Multi-purpose application
- Comply with EN 60598-2-22,

DIMENSIONS



BRINGING YOU MORE CHOICE!

See page 52 for MEGAMAN® PERFORMA TEMPUS® SELF-TEST EMERGENCY OPEN AREA DOWNLIGHT option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
710482	1W	6000K	135	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	130x130x35

TEMPUS® EMERGENCY LIGHTING |



CORRIDOR DOWNLIGHT EMERGENCY SURFACE MOUNTED 3 HOUR NON-MAINTAINED

1W | IP54 | 6000K | 200lm | 3 hrs |

2YR
WARRANTY

IP54 SELF-TEST COMPACT DOWNLIGHT

FAST & EASY SURFACE MOUNTED INSTAL


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 16 hour charge time
- Included advanced high specification LiFePO4 battery
- IP54 polycarbonate housing
- Over-charge and over-discharge protection
- Over-temperature and short circuit protection
- Touch testing button
- 850°C glow-wiring test
- 50,000 hours rated life
- Green colour status LED indicator
- Multi-purpose application
- Comply with EN 60598-2-22,

DIMENSIONS



BRINGING YOU MORE CHOICE!

See page 53 for MEGAMAN® PERFORMA TEMPUS® SELF-TEST EMERGENCY CORRIDOR DOWNLIGHT option.

Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Beam Angle	Dimensions (LxWxH mm)
710483	1W	6000K	135	3.2V 1500mAh LiFePO4	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	140°	130x130x35

TEMPUS® EMERGENCY LIGHTING |



TWIN SPOT IP65 EMERGENCY 3 HOUR NON-MAINTAINED

2.3W | IP65 | 6500K | 400lm | 3 hrs |

2YR
WARRANTY

DURABLE IP65 EMERGENCY TWIN SPOT

CORROSION RESISTANT POLYCARBONATE DIFFUSER


3 HOUR EMERGENCY POWER TIME



FEATURES & BENEFITS

- 3 hour power time duration
- 24 hour charge time
- Included advanced high specification Ni-cd battery
- IP65 rated
- Polycarbonate diffuser, corrosion resistant
- Rotate and tilt lighting direction
- 850°C glow-wiring test
- Non-maintained operation mode
- Green colour status LED indicator
- Light in weight for easy install

DIMENSIONS




Order Code	Watts	Colour Temp (K)	Lumens (lm)	Battery	Battery Duration	Working Temp.	Rated Supply	Weight (g)	Dimensions (LxWxH mm)
710485	2.3W	6500K	400	12V 1500mAh Ni-cd	3 hours	0°C - +40°C	220-240VAC / 50-60Hz	1330	300x82x294

TEMPUS® EMERGENCY LIGHTING |



MEGAMAN® PERFORMA TEMPUS®. A comprehensive range of high quality and performance, maintained and non-maintained self-test emergency lighting solutions.

Go to page 44 to see the full range.



MEGAMAN®
Performa
FIXTURE RANGE
HIGH PERFORMANCE & QUALITY FROM MEGAMAN®

TEMPUS®
EMERGENCY
SELF-TEST
LIGHTING

MEGAMAN® LED LAMPS

MEGAMAN® comprehensive range of Economy and Professional LED lamps that provide both great value for money and high performance. Up to 3 years warranty and 50,000 hours.

ECONOMY & PROFESSIONAL SERIES |



GUTO LED P98 - P107



GOLF BALL LED P128 - P151



FILAMENT GOLF BALL LED P144 - P146



GX53 LED P155 - P154



GU4 LED P108



GLOBE P152



FILAMENT ST64 LED P147 - P149



G9 LED P155 - P156




AR111 LED P110 - P112



FILAMENT CLASSIC LED P154 - P140



T8 TUBE LED P150



G4 LED P157



OPAL CLASSIC LED P114 - P125



FILAMENT CANDLE LED P141 - P145



PAR30s LED P152



CLUSTERLITE® LED P158 - P160



OPAL CANDLE P124 - P127

MEGAMAN® LED LAMPS | PROFESSIONAL & ECONOMY

MEGAMAN® DUAL BEAM TECHNOLOGY |

BRINGING YOU THE CHOICE OF TWO BEAM ANGLES IN ONE LUMINAIRE

MEGAMAN® pioneered an innovative approach for switching the size of the light spot with a simple push action on luminaires featured with Dual Beam Technology (patent pending). With this technology one can shape the light spot of the luminaire from a narrow beam to a wider beam angle.

The term "Dual Beam" refers to the dual function of a luminaire. It can be set to project a narrow beam or a wider beam. Luminaires with "Dual Beam" function provide users unparalleled flexibility and convenience when adjusting the contrast between ambient and accent lighting on-site, eliminating the hustle and bustle of changing luminaire with a different beam angle. In some cases, fixtures with specific beam angle are not readily available and subsequent arrangement will cause inevitable delay in completing projects. Choosing luminaires equipped with MEGAMAN®'s Dual Beam Technology will put you at ease when doing projects.

How It Works

The mechanism that makes Dual Beam illumination possible is cleverly engineered into the DBT-enabled luminaire. To shape the beam angle of such luminaire, simply apply a push action on the front lens. This unique mechanism enables users to switch beam angles instantly from a narrow beam to a wider beam and vice versa.



5.2W, 5.3W Dual Beam Technology GU10

144000 - 5.2W, 2800K, Dimmable, 24°/35°
144002 - 5.2W, 4000K, Dimmable, 24°/35°



[GO TO PAGE 108](#)

140522 - 5.2W, 2800K, Dimmable, 40°/60°
140524 - 5.2W, 4000K, Dimmable, 40°/60°
140526 - 5.2W, 6500K, Dimmable, 40°/60°



[GO TO PAGE 107](#)

140516 - 5.3W, 2800K, Dimmable, 24°/35°
140518 - 5.3W, 4000K, Dimmable, 24°/35°
140520 - 5.3W, 6500K, Dimmable, 24°/35°



[GO TO PAGE 109](#)



11W AR111 Dual Beam Technology GU10

142624 - 11W, 2800K, U-DIM™, 24°/45°
142626 - 11W, 4000K, U-DIM™, 24°/45°



[GO TO PAGE 114](#)



11W, 13W AR111 Dual Beam Technology G53

142616 - 11W, 2800K, Dimmable, 24°/45°
142618 - 11W, 4000K, Dimmable, 24°/45°




[GO TO PAGE 112](#)

142620 - 13W, 2800K, Dimmable, 24°/45°
142622 - 13W, 4000K, Dimmable, 24°/45°



[GO TO PAGE 113](#)




DBT

MEGAMAN® DUAL BEAM TECHNOLOGY |



TAKE A LOOK AT MARCO MIDI
Optional Integrated Dual Beam LED
Track Light (24W)

GO TO PAGES 39



MEGAMAN® Dual Beam Technology (DBT) offers a flexible choice of beam angles and is available in MARCO MIDI integrated LED tracklight. This innovative dual beam design is ideal for changing one visual effect and facilitating the inventory management.



Wide flood



Narrow flood



MEGAMAN® DBT Technology offers the flexibility of changing the product's beam angle on site with a simple fingertip push action.

- Compact Optical Design
- Dynamic full control of two beam angles in one luminaire
- Also available in PAR16 and AR111 reflectors

GU10 LED | ECONOMY SERIES with 2 Year Warranty

4.2W GU10 PAR16 LED



WATTAGE > 4.2W

LUMENS > 410

HOURS LAMP LIFE > 15,000

DIMMABLE > NO


COLOUR TEMP. > 2800K/4000K/6500K

LAMP BASE > GU10

MEGAMAN® ECONOMY SERIES PAR16 GU10, perfect for retrofit applications such as showrooms, reception areas, meeting rooms, offices, restaurants, lounges and kitchens.

Applications:
General domestic and commercial

140510 / 140512 / 140514



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
140510	4.2W	2800K / 80	410	N	GU10	36°	15,000	28	55x50
140512	4.2W	4000K / 80	410	N	GU10	36°	15,000	28	55x50
140514	4.2W	6500K / 80	410	N	GU10	36°	15,000	28	55x50

GU10 LED | ECONOMY SERIES with 2 Year Warranty

5W GU10 DIMMING PAR16 LED



WATTAGE > 5W

LUMENS > 410

HOURS LAMP LIFE > 25,000

DIMMABLE > YES


COLOUR TEMP. > 2800K/4000K

LAMP BASE > GU10

MEGAMAN® ECONOMY SERIES PAR16 GU10, perfect for retrofit applications such as showrooms, reception areas, meeting rooms, offices, restaurants, lounges and kitchens.

Applications:
General domestic and commercial

140500 / 140502



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
140500	5W	2800K / 80	410	Y	GU10	36°	25,000	33	55x50
140502	5W	4000K / 80	410	Y	GU10	36°	25,000	33	55x50

GU10 LED | ECONOMY SERIES with 2 Year Warranty

4.2W/5W GU10 | 5 PACK PAR16 LED



WATTAGE > 4.2W/5W

LUMENS > 360

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K/4000K

LAMP BASE > GU10


MEGAMAN® ECONOMY SERIES 5 PACK

of great value for money PAR16 GU10, perfect for retrofit applications such as showrooms, reception areas, meeting rooms, offices, restaurants, lounges and kitchens.

Applications:
General domestic and commercial

**GREAT VALUE
5 PACK**

710390 / 710391



m	Lux	Ø cm
0.5	2720	32
1	680	65
1.5	302	97
2	170	130

Beam angle = 36°



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
710390	5W	2800K / 80	360	N	GU10	36°	15,000	28	53x50
710391E	4.2W	4000K / 80	360	N	GU10	36°	15,000	28	53x50

MEGAMAN® LED LAMPS | GU10 LED

GU10 LED | ECONOMY SERIES with 2 Year Warranty

5W GU10 DIMMING 74mm LED



WATTAGE > 5W

LUMENS > 330

HOURS LAMP LIFE > 25,000

DIMMABLE > YES


COLOUR TEMP. > 2800K/4000K

LAMP BASE > GU10

MEGAMAN® ECONOMY SERIES 74mm long neck GU10 suitable for older fire rated fittings, replacing the Megaman 11W CFL GU10 Dimming.

Applications:
General domestic and commercial

141510 / 141580



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
141510	5W	2800K / 80	330	Y	GU10	90°	25,000	56	74x50
141580	5W	4000K / 80	330	Y	GU10	90°	25,000	58	74x50

GU10 LED | ECONOMY SERIES with 2 Year Warranty



MEGAMAN® LED LAMPS | GU10 LED

GU10 LED | ECONOMY SERIES with 2 Year Warranty

5.5W GU10 COMPACT DIMMING GLASS FINISH PAR16 LED




- WATTAGE > 5.5W**
- LUMENS > 390**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2800K/4000K/6500K**
- LAMP BASE > GU10**

MEGAMAN® ECONOMY SERIES PAR16 GU10 with glass finish, is an impressive high power 4.5W quality LED lamp. Ideal for low usage commercial outlets and domestic applications.

Applications:
General domestic and commercial

142220 / 142222 / 142224



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142220	5.5W	2800K / 80	390	Y	GU10	36°	15,000	50	55x50
142222	5.5W	4000K / 80	390	Y	GU10	36°	15,000	50	55x50
142224	5.5W	6500K / 80	390	Y	GU10	36°	15,000	50	55x50

MEGAMAN® LED LAMPS | GU10 LED

GU10 LED | PROFESSIONAL SERIES with 3 Year Warranty

5.5W GU10 DIMMING PAR16 LED



WATTAGE > 5.5W

LUMENS > 500

HOURS LAMP LIFE > 25,000

DIMMABLE > YES


COLOUR TEMP. > 2800K/4000K/6500K

LAMP BASE > GU10

MEGAMAN® ECONOMY SERIES PAR16 GU10 is an impressive high power 5.5W and dimmable high quality LED lamp. Ideal for retrofit applications such as showrooms, reception areas, meeting rooms, offices, restaurants, lounges and kitchens.

Applications:
General domestic and commercial

140504/140506 / 140508



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
140504	5.5W	2800K / 80	500	Y	GU10	36°	25,000	33	55x50
140506	5.5W	4000K / 80	500	Y	GU10	36°	25,000	33	55x50
140508	5.5W	6500K / 80	500	Y	GU10	36°	25,000	33	55x50



GU10 LED | PROFESSIONAL SERIES with 3 Year Warranty

5.2W GU10 DIMMING DUAL BEAM 40°/60° PAR16 LED



- WATTAGE > 5.2W
- LUMENS > 430
- HOURS LAMP LIFE > 25,000
- DIMMABLE > YES
- COLOUR TEMP. > 2800K/4000K/6500K
- LAMP BASE > GU10

140522 / 140524 / 140526



Go to page 39 to see how this innovative new lamp technology combines together with our MARCO fixture to create an integrated LED Track Light that offers superb beam quality and control that is ideal for numerous applications.

MEGAMAN® PROFESSIONAL SERIES
5.2W Dimmable PAR16 incorporates the groundbreaking LED beam shaping technology - **Dual Beam Technology (DBT)**, which enables for the flexible and precise changing of the beam angle on site from 40 to 60 degrees. Ideal for creating either ambient or accent lighting.

Applications:
General domestic, retail, hospitality, exhibition and museums

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
140522	5.2W	2800K / 80	430	Y	GU10	40°/60°	25,000	42	56x50
140524	5.2W	4000K / 80	430	Y	GU10	40°/60°	25,000	42	56x50
140526	5.2W	6500K / 80	430	Y	GU10	40°/60°	25,000	42	56x50

GU10 LED | PROFESSIONAL SERIES with 3 Year Warranty

5.2W GU10 DIMMING DUAL BEAM 24°/ 35° PAR16 LED



WATTAGE > 5.2W

LUMENS > 430

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2800K/4000K



LAMP BASE > GU10

MEGAMAN® PROFESSIONAL SERIES

5.2W Dimmable PAR16 incorporates the groundbreaking LED beam shaping technology - **Dual Beam Technology (DBT)**, which enables for the flexible and precise changing of the beam angle on site from 24 to 35 degrees. Ideal for creating either ambient or accent lighting.

Applications:
General domestic, retail, hospitality, exhibition and museums

144000 / 144002 /



Go to page 39 to see how this innovative new lamp technology combines together with our **MARCO** fixture to create an integrated **LED Track Light** that offers superb beam quality and control that is ideal for numerous applications.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
144000	5.2W	2800K / 80	430	Y	GU10	24° / 35°	25,000	42	56x50
144002	5.2W	4000K / 80	430	Y	GU10	24° / 35°	25,000	42	56x50

GU10 LED | PROFESSIONAL SERIES with 3 Year Warranty

5.3W GU10 DIMMING DUAL BEAM 24°/ 35° PAR16 LED





- WATTAGE > 5.3W**
- LUMENS > 550**
- HOURS LAMP LIFE > 25,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2800K/4000K/6500K**
- LAMP BASE > GU10**

MEGAMAN® PROFESSIONAL SERIES
5.2W Dimmable PAR16 incorporates the groundbreaking LED beam shaping technology - **Dual Beam Technology (DBT)**, which enables for the flexible and precise changing of the beam angle on site from 24 to 35 degrees. Ideal for creating either ambient or accent lighting.

Applications:
General domestic, retail, hospitality, exhibition and museums

140516 / 140518 / 140520



Go to page 39 to see how this innovative new lamp technology combines together with our **MARCO fixture** to create an integrated **LED Track Light** that offers superb beam quality and control that is ideal for numerous applications.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
140516	5.3W	2800K / 80	550	Y	GU10	24° / 35°	25,000	42	56x50
140518	5.3W	4000K / 80	550	Y	GU10	24° / 35°	25,000	42	56x50
140520	5.3W	6500K / 80	550	Y	GU10	24° / 35°	25,000	42	56x50

MEGAMAN® LED LAMPS | GU10 LED

MR11 LED | PROFESSIONAL SERIES with 3 Year Warranty

3W GU4 MR11 LED



WATTAGE > 3W

LUMENS > 230

HOURS LAMP LIFE > 25,000

DIMMABLE > NO


COLOUR TEMP. > 2800K/4000K

LAMP BASE > GU4

MEGAMAN® PROFESSIONAL SERIES
LED GU4 MR11 reflector is the eco-conscious and economical alternative to traditional halogen MR11's with the same compact profile.

Applications:
General domestic and commercial

142630/142632



LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Voltage	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142630	3W	2800K / 80	230	AC12V	N	GU4	36°	25,000	19	38x35
142632	3W	4000K / 80	230	AC12V	N	GU4	36°	25,000	19	38x35

MR11 LED | PROFESSIONAL SERIES with 3 Year Warranty



MEGAMAN® LED LAMPS | GU4 LED

AR111 LED | PROFESSIONAL SERIES with 3 Year Warranty

11W AR111 DIMMING DUAL BEAM 24°/ 45° G53 12V LED



- WATTAGE > 11W
- LUMENS > 750
- HOURS LAMP LIFE > 40,000
- DIMMABLE > YES
- COLOUR TEMP. > 2800K/4000k
- LAMP BASE > G53

MEGAMAN® PROFESSIONAL SERIES



11W AR111 incorporates the ground-breaking Dual Beam Technology (DBT), which enables for the flexible and precise changing of the beam angle on site from 24 to 45 degrees and is available in both 2800K and 4000K colour temperatures. Ideal for creating either ambient or accent lighting for a variety of applications.

Applications:
General domestic and commercial

LAMP BASE



142616 / 142618



RECOMMENDED TRANSFORMER:
Varilight Y150LZ (One transformer per lamp)



Go to page 39 to see how this innovative new lamp technology combines together with our MARCO fixture to create an integrated LED Track Light that offers superb beam quality and control that is ideal for numerous applications.



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Voltage	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142616	11W	2800K / 80	750	AC12V	Y	G53	24°/45°	40,000	225	58x111
142618	11W	4000K / 80	750	AC12V	Y	G53	24°/45°	40,000	225	58x111


AR111 LED | PROFESSIONAL SERIES with 3 Year Warranty

13W AR111 DIMMING DUAL BEAM 24°/ 45° G53 12V LED



- WATTAGE > 13W
- LUMENS > 900
- HOURS LAMP LIFE > 40,000
- DIMMABLE > YES
- COLOUR TEMP. > 2800K/4000K
- LAMP BASE > G53

142620 / 142622



m	Lux	Ø cm
0.5	20000	21
1	9000	43
1.5	2222	64
2	1250	85

Beam angle = 24°



m	Lux	Ø cm
0.5	8000	41
1	2000	83
1.5	889	124
2	500	166

Beam angle = 45°

RECOMMENDED TRANSFORMER:
Vairlight Y150LZ (One transformer per lamp)



Go to page 39 to see how this innovative new lamp technology combines together with our MARCO fixture to create an integrated LED Track Light that offers superb beam quality and control that is ideal for numerous applications.

MEGAMAN® PROFESSIONAL SERIES
13W AR111 incorporates the ground-breaking Dual Beam Technology (DBT), which enables for the flexible and precise changing of the beam angle on site from 24 to 45 degrees and is available in both 2800K and 4000K colour temperatures. Ideal for creating either ambient or accent lighting for a variety of applications.

Applications:
General domestic and commercial



Order Code	Watts	Colour Temp (K) / CRI	Lumens (lm)	Voltage	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142620	13W	2800K / 80	900	AC12V	Y	G53	24°/45°	40,000	230	58x111
142622	13W	4000K / 80	900	AC12V	Y	G53	24°/45°	40,000	230	58x111

MEGAMAN® LED LAMPS | AR111 LED

AR111 LED | PROFESSIONAL SERIES with 3 Year Warranty

11W AR111 DIMMING DUAL BEAM 24°/ 45° GU10 LED




- WATTAGE > 11W
- LUMENS > 900
- HOURS LAMP LIFE > 40,000
- DIMMABLE > YES
- COLOUR TEMP. > 2700K/4000K
- LAMP BASE > GU10

MEGAMAN® PROFESSIONAL SERIES

11W AR111 incorporates the ground-breaking Dual Beam Technology (DBT), which enables for the flexible and precise changing of the beam angle on site from 24 to 45 degrees and is available in both 2800K and 4000K colour temperatures. Ideal for creating either ambient or accent lighting for a variety of applications.


Applications:
General domestic and commercial

142624 / 142626



m	Lux	Ø cm
0.5	20000	21
1	9000	43
1.5	2222	64
2	1250	85

Beam angle = 24°



m	Lux	Ø cm
0.5	8000	41
1	2000	83
1.5	889	124
2	500	166

Beam angle = 45°



Go to page 39 to see how this innovative new lamp technology combines together with our **MARCO fixture** to create an integrated **LED Track Light** that offers superb beam quality and control that is ideal for numerous applications.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Beam Angle	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142624	11W	2700K / 80	900	Y	GU10	24°/45°	40,000	236	82x111
142626	11W	4000K / 80	900	Y	GU10	24°/45°	40,000	236	82x111

MEGAMAN® LED LAMPS | AR111 LED

AR111 LED | PROFESSIONAL SERIES with 3 Year Warranty



MEGAMAN® LED LAMPS | AR111 LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

4.8W OPAL CLASSIC LED



- WATTAGE > 4.8W
- LUMENS > 470
- HOURS LAMP LIFE > 15,000
- DIMMABLE > NO
- COLOUR TEMP. > 2800K
- LAMP BASE > E27/B22

MEGAMAN® ECONOMY OPAL CLASSIC a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of up to Ra80. Eco-conscious replacement for halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143360E	4.8W	2700K / 80	470	N	E27	97	15,000	27	74x50
143362E	4.8W	2700K / 80	470	N	B22	97	15,000	29	74x50

MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

8.6W/9.5W OPAL CLASSIC LED



WATTAGE > 8.6W/9.5W

LUMENS > 810

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K/4000K/6500K

LAMP BASE > E27/B22

MEGAMAN® 9.5W ECONOMY OPAL CLASSIC is a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and high colour rendering of Ra80and or above.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143316E	8.6W	2700K / 80	810	N	E27	94	15,000	30	109x60
143318E	8.6W	2700K / 80	810	N	B22	94	15,000	32	107x60
143372E	8.6W	4000K / 80	810	N	E27	94	15,000	30	109x60
143370	9.5W	4000K / 80	810	N	B22	85	15,000	32	107x60
143374	9.5W	6500K / 80	810	N	E27	85	15,000	30	109x60
143376E	8.6W	6500K / 80	810	N	B22	94	15,000	32	107x60

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

9.6W/10W OPAL CLASSIC LED



WATTAGE > 9.6W/10W

LUMENS > 1055

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K

LAMP BASE > E27/B22

MEGAMAN® ECONOMY 10W OPAL CLASSIC is a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of Ra80 or above. Eco-conscious replacement for less energy efficient halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142532	10W	2800K / 80	1055	N	E27	105	15,000	38	109x60
142534E	9.6W	2700K / 80	1055	N	B22	109	15,000	39	107x60

MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

9.6W OPAL | CLASSIC 10 PACK LED



GREAT VALUE 10 PACK



- WATTAGE > 9.6W**
- LUMENS > 1055**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > NO**
- COLOUR TEMP. > 2700K/4000K**
- LAMP BASE > E27/B22**

MEGAMAN® SERIES bring you really great value with this **10 pack of 9.6W Opal Classic** lamps, with their intelligent heat sink design for sleek classic shape. The lamp has even light distribution with 330° illumination and an impressive 1055 lumen output.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
710466E	9.6W	2700K / 80	1055	N	E27	109	15,000	27	109x60
710464E	9.6W	2700K / 80	1055	N	B22	109	15,000	27	107x60
710467E	9.6W	4000K / 80	1055	N	E27	109	15,000	27	109X60
710465E	9.6W	4000K / 80	1055	N	B22	109	15,000	27	107X60

MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

14W OPAL CLASSIC LED



- WATTAGE > 14W
- LUMENS > 1521
- HOURS LAMP LIFE > 15,000
- DIMMABLE > NO
- COLOUR TEMP. > 2800K
- LAMP BASE > E27/B22

MEGAMAN® ECONOMY 10W OPAL CLASSIC is a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of up to Ra80. Eco-conscious replacement for less energy efficient halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) / CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
148392	14W	2800K / 80	1521	N	E27	108	15,000	69	114x60
148390	14W	2800K / 80	1521	N	B22	108	15,000	67	114x60

MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

6W OPAL DIMMING CLASSIC LED



WATTAGE > 6W

LUMENS > 470

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2800K

LAMP BASE > E27/B22

MEGAMAN® ECONOMY 6W OPAL

CLASSIC a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of Ra90 or above. Eco-conscious replacement for halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142570	6W	2800K / 90	470	Y	B22	78	25,000	39	107x60
142568	6W	2800K / 90	470	Y	E27	78	25,000	39	109x60

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

8.5W/9.5W OPAL DIMMING CLASSIC LED



WATTAGE > 8.5W/9.5W

LUMENS > 810

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2700K/4000K

LAMP BASE > E27/B22

MEGAMAN® ECONOMY 9.5W OPAL CLASSIC a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of up to Ra90. Eco-conscious replacement for halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
711181	8.5W	2700K / 80	810	Y	B22	95	25,000	49	107x60
142576	9.5W	4000K / 90	810	Y	E27	85	25,000	49	107x60
711182	8.5W	2700K / 80	810	Y	B22	95	25,000	49	109x60
142578	9.5W	4000K / 90	810	Y	E27	85	25,000	49	109x60

MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

13.3W OPAL DIMMING CLASSIC LED



- WATTAGE > 13.3W**
- LUMENS > 1055**
- HOURS LAMP LIFE > 25,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2800K**
- LAMP BASE > E27/B22**

ECONOMY SERIES 6W OPAL DIMMING CLASSIC a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of Ra90 or above. Eco-conscious replacement for halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142582	13.3W	2800K / 90	1055	Y	B22	79	25,000	93	112x60
142580	13.3W	2800K / 90	1055	Y	E27	79	25,000	93	114x60

OPAL CLASSIC LED | ECONOMY SERIES with 2 Year Warranty



MEGAMAN® LED LAMPS | OPAL CLASSIC LED

OPAL CLASSIC LED | PROFESSIONAL SERIES with 3 Year Warranty

10W OPAL DIMMING CLASSIC LED



WATTAGE > 10W

LUMENS > 810

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2800K

LAMP BASE > E27

ECONOMY SERIES 6W OPAL DIMMING CLASSIC a high lumen classic shaped LED lamp with intelligent heat sink design. The lamp has even light distribution with 330° illumination and excellent colour rendering of Ra80 or above. Eco-conscious replacement for halogens and incandescent lamps.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
148174	10W	2800K / 80	810	Y	E27	81	25,000	125	117x60

CANDLE LED | ECONOMY SERIES with 2 Year Warranty

2.9W/3.5W OPAL CANDLE LED



WATTAGE > 2.9W/3.5W

LUMENS > 250

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K/2800K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 3.5W OPAL

CANDLE is suitable for a wide variety of applications such as chandeliers, wall lights and other decorative fittings. The new lamp has an even light distribution with 330° illumination.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143300E	2.9W	2700K / 80	250	N	E14	86	15,000	18	107x35
143302	3.5W	2800K / 80	250	N	E27	71	15,000	21	107x35
143304E	2.9W	2700K / 80	250	N	B15	86	15,000	19	105x35
143306	3.5W	2800K / 80	250	N	B22	71	15,000	23	105x35

CANDLE LED | ECONOMY SERIES with 2 Year Warranty

5.5W OPAL CANDLE LED



WATTAGE > 5.5W

LUMENS > 470

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K/4000K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 5.5W OPAL CANDLE is suitable for a wide variety of applications such as chandeliers, wall lights and other decorative fittings. The new lamp has an even light distribution with 330° illumination.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143308	5.5W	2800K / 80	470	N	E14	85	15,000	22	107x35
143310	5.5W	2800K / 80	470	N	E27	85	15,000	26	107x35
143312	5.5W	2800K / 80	470	N	B15	85	15,000	23	105x35
143314	5.5W	2800K / 80	470	N	B22	85	15,000	27	105x35
143350	5.5W	4000K / 80	470	N	E14	85	15,000	22	107x35
143352	5.5W	4000K / 80	470	N	E27	85	15,000	26	107x35
143354	5.5W	4000K / 80	470	N	B15	85	15,000	23	105x35
143356	5.5W	4000K / 80	470	N	B22	85	15,000	27	105x35

CANDLE LED | ECONOMY SERIES with 2 Year Warranty

2.9W/3.8W OPAL DIMMING CANDLE LED



WATTAGE > 2.9W/3.8W

LUMENS > 250

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2700K/2800K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 3.8W OPAL DIMMING CANDLE is suitable for a wide variety of applications such as chandeliers, wall lights and other decorative fittings. The new lamp has an even light distribution with 330° illumination excellent colour rendering of up to Ra90.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142544	3.8W	2800K / 90	250	Y	B22	65	25,000	30	105x35
142546	3.8W	2800K / 90	250	Y	B15	65	25,000	33	105x35
711163	2.9W	2700K / 80	250	Y	E14	86	25,000	27	107x35
142550	3.8W	2800K / 90	250	Y	E27	65	25,000	34	107x35

CANDLE LED | ECONOMY SERIES with 2 Year Warranty

5.5W OPAL DIMMING CANDLE LED



- WATTAGE > 5.5W**
- LUMENS > 470**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2700K/2800K/4000K**
- LAMP BASE > E27/B22/E14/B15**

MEGAMAN® ECONOMY 5.5W OPAL CANDLE is suitable for a wide variety of applications such as chandeliers, wall lights and other decorative fittings. The new lamp has an even light distribution with 330° illumination.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
711107	5.5W	2700K / 80	470	Y	B22	85	25,000	35	105x37
142554	5.5W	2800K / 90	470	Y	E27	85	25,000	33	107x37
711403	5.5W	2700K / 80	470	Y	E14	85	25,000	37	107x37
142564	5.5W	2800K / 90	470	Y	B15	85	25,000	28	105x37
142558	5.5W	4000K / 90	470	Y	B22	85	25,000	33	105x37
142560	5.5W	4000K / 90	470	Y	E27	85	25,000	37	107x37
711108	5.5W	4000K / 80	470	Y	E14	85	25,000	28	107x37
142566	5.5W	4000K / 90	470	Y	B15	85	25,000	35	105x37

MEGAMAN® LED LAMPS | CANDLE LED

GOLF BALL LED

MEGAMAN® LED LAMPS | GOLF BALL LED



GOLF BALL LED | ECONOMY SERIES with 2 Year Warranty

2.9W/3.5W OPAL GOLF BALL LED



WATTAGE > 2.9W/3.5W

LUMENS > 250

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K/2800K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 2.9W & 3.5W OPAL GOLF BALL has an intelligent heat sink design for sleek classic shape and compact housing, perfect for a number of domestic and general commercial applications. The lamp has even light distribution with 330° illumination.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143390	3.5W	2800K / 80	250	N	E14	71	15,000	17	87x45
143392E	2.9W	2700K / 80	250	N	E27	86	15,000	17	84x45
143394E	2.9W	2700K / 80	250	N	B22	86	15,000	19	82x45

MEGAMAN® LED LAMPS | GOLF BALL LED

GOLF BALL LED | ECONOMY SERIES with 2 Year Warranty

3.8W OPAL DIMMING GOLF BALL LED



- WATTAGE > 3.8W**
- LUMENS > 250**
- HOURS LAMP LIFE > 25,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2800K**
- LAMP BASE > E27/B22/E14**

MEGAMAN® ECONOMY 3.8W OPAL GOLF BALL has an intelligent heat sink design for sleek classic shape and compact housing, perfect for a number of domestic and general commercial applications. The lamp has even light distribution with 330° illumination.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142588	3.8W	2800K / 90	250	Y	B22	65	25,000	30	82x45
142584	3.8W	2800K / 90	250	Y	E14	65	25,000	29	87x45
142586	3.8W	2800K / 90	250	Y	E27	65	25,000	32	84x45

MEGAMAN® LED LAMPS | GOLF BALL LED

GOLF BALL LED | ECONOMY SERIES with 2 Year Warranty

5.5W OPAL DIMMING GOLF BALL LED



WATTAGE > 5.5W

LUMENS > 470

HOURS LAMP LIFE > 25,000

DIMMABLE > YES

COLOUR TEMP. > 2700K/4000K

LAMP BASE > E27/B22/E14

MEGAMAN® ECONOMY 5.5W

OPAL GOLF BALL lamp provides a near perfect natural light and maximum richness of colour rendering of Ra80 or above; that is perfect for a number of domestic and general commercial applications. The lamp has even light distribution with 330° illumination.

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
711109	5.5W	2700K / 80	470	Y	B22	85	25,000	31	82x45
711113	5.5W	2700K / 80	470	Y	E27	85	25,000	38	84x45
711111	5.5W	2700K / 80	470	Y	E14	85	25,000	36	87x45
711110	5.5W	4000K / 80	470	Y	B22	85	25,000	31	82x45
711114	5.5W	4000K / 80	470	Y	E27	85	25,000	38	84x45
711112	5.5W	4000K / 80	470	Y	E14	85	25,000	36	87x45

GLOBE LED | ECONOMY SERIES with 2 Year Warranty



GLOBE LED | ECONOMY SERIES with 2 Year Warranty

11W OPAL GLOBE 120mm LED



- WATTAGE > 11W**
- LUMENS > 1521**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > NO**
- COLOUR TEMP. > 2800K/4000K**
- LAMP BASE > E27**

ECONOMY SERIES 10W OPAL GLOBE has an intelligent heat sink design for sleek globe shape. The lamp has even light distribution with 330° illumination.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142634	11W	2800K / 80	1521	N	E27	138	15,000	102	172x124
142636	11W	4000K / 80	1521	N	E27	138	15,000	102	172x124

FILAMENT LED

CLASSIC GLS
DECORATIVE CANDLE
CLASSIC GOLF BALL
ST64

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

4.8W FILAMENT CLASSIC LED

13
PIECES
PER BOX

PER BOX
1/60

2YR
WARRANTY



- WATTAGE > 4.8W**
- LUMENS > 470**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > NO**
- COLOUR TEMP. > 2700K**
- LAMP BASE > E27**

ECONOMY SERIES 4.8W FILAMENT CLASSIC is designed for decorative light fittings, to create a charming and stunning visual effect.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146210	4.8W	2700K / 80	470	N	E27	97	15,000	31	104x60

MEGAMAN® LED LAMPS | FILAMENT CLASSIC LED

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

6.8W FILAMENT CLASSIC LED



WATTAGE > 6.8W

LUMENS > 810

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E27/B22

ECONOMY SERIES FILAMENT CLASSIC

LED lamps are designed for decorative light fittings, to create a charming and stunning visual effect.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146212E	6.8W	2700K / 80	810	N	E27	119	15,000	34	104x60
707171E	6.8W	2700K / 80	810	N	B22	119	15,000	35	102x60

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

7.2W FILAMENT DIMMING CLASSIC LED



- WATTAGE > 7.2W**
- LUMENS > 810**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2700K**
- LAMP BASE > E27**

ECONOMY SERIES FILAMENT CLASSIC

LED lamps are designed for decorative light fittings, to create a charming and stunning visual effect with maximum richness of colour of rendering of Ra90 or above; that is perfect for a number of domestic and general commercial applications.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146218	7.2W	2700K / 90	810	Y	E27	112	15,000	34	104x60

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

8.5W FILAMENT CLASSIC LED



WATTAGE > 8.5W

LUMENS > 1055

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E27/B22

ECONOMY SERIES FILAMENT CLASSIC

LED lamps are designed for decorative light fittings, to create a charming and stunning visual effect with colour with rendering of Ra80 or above. Perfect for a number of domestic and general commercial applications.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146214	8.5W	2700K / 80	1055	N	E27	124	15,000	34	104x60
710337	8.5W	2700K / 80	1055	N	B22	124	15,000	35	102x60

MEGAMAN® LED LAMPS | FILAMENT CLASSIC LED

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

9.5W FILAMENT CLASSIC LED



- WATTAGE > 9.5W
- LUMENS > 1055
- HOURS LAMP LIFE > 15,000
- DIMMABLE > YES
- COLOUR TEMP. > 2700K
- LAMP BASE > E27/B22

ECONOMY SERIES FILAMENT CLASSIC

LED lamps are designed for decorative light fittings, to create a charming and stunning visual effect with colour rendering of Ra90 or above; making this a perfect LED lamp for a number of domestic and general commercial applications.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
710338	9.5W	2700K / 90	1055	Y	B22	111	15,000	35	102x60
146220	9.5W	2700K / 90	1055	Y	E27	111	15,000	34	104x60

MEGAMAN® LED LAMPS | FILAMENT CLASSIC LED

FILAMENT CLASSIC LED | ECONOMY SERIES with 2 Year Warranty

11W FILAMENT CLASSIC LED



- WATTAGE > 11W**
- LUMENS > 1521**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > NO**
- COLOUR TEMP. > 2700K**
- LAMP BASE > E27/B22**

ECONOMY SERIES FILAMENT CLASSIC

LED lamps are designed for decorative light fittings, to create a charming and stunning visual effect.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146216	11W	2700K / 80	1521	N	E27	138	15,000	45	128x70
710339	11W	2700K / 80	1521	N	B22	138	15,000	46	126x70

FILAMENT CANDLE LED | ECONOMY SERIES with 2 Year Warranty

3W FILAMENT CANDLE LED



- WATTAGE > 3W
- LUMENS > 250
- HOURS LAMP LIFE > 15,000
- DIMMABLE > NO
- COLOUR TEMP. > 2700K
- LAMP BASE > E27/B22/E14

MEGAMAN® ECONOMY 3W FILAMENT CANDLE is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
143264	3W	2700K / 80	250	N	E27	83	15,000	18	95x35
143919	3W	2700K / 80	250	N	B22	83	15,000	18	93x35
146222	3W	2700K / 80	250	N	E14	83	15,000	18	97x35

MEGAMAN® LED LAMPS | FILAMENT CANDLE LED

FILAMENT CANDLE LED | ECONOMY SERIES with 2 Year Warranty

4W FILAMENT CANDLE LED



WATTAGE > 4W

LUMENS > 470

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 4W

FILAMENT CANDLE is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
709927	4W	2700K / 80	470	N	E27	117	15,000	18	95x35
710505	4W	2700K / 80	470	N	B15	117	15,000	16	93x35
710506	4W	2700K / 80	470	N	B22	117	15,000	18	93x35
146224	4W	2700K / 80	470	N	E14	117	15,000	15	97x35

FILAMENT CANDLE LED | ECONOMY SERIES with 2 Year Warranty

4.2W/5.3W FILAMENT DIMMING CANDLE LED



13
TRIAC
DIMMING GROUP

PER BOX
1/60

2YR
WARRANTY



WATTAGE > 4.2W/5.3W

LUMENS > 470

HOURS LAMP LIFE > 15,000

DIMMABLE > YES

COLOUR TEMP. > 2700K

LAMP BASE > E27/B22/E14/B15

MEGAMAN® ECONOMY 4.2W/5.3W

FILAMENT CANDLE is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146226E	4.2W	2700K / 80	470	Y	E14	111	15,000	15	97x35
710507E	4.2W	2700K / 80	470	Y	E27	111	15,000	18	95x35
710508	5.3W	2700K / 90	470	Y	B15	88	15,000	16	95x35
710509E	4.2W	2700K / 80	470	Y	B22	111	15,000	18	93x35

FILAMENT GOLF BALL | ECONOMY SERIES with 2 Year Warranty

3W FILAMENT CLASSIC GOLF BALL LED



WATTAGE > 3W

LUMENS > 250

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E14

MEGAMAN® ECONOMY 3W

FILAMENT GOLF BALL is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146228	3W	2700K / 80	250	N	E14	83	15,000	15	79x45

FILAMENT GOLF BALL | ECONOMY SERIES with 2 Year Warranty

4W FILAMENT CLASSIC GOLF BALL LED



WATTAGE > 4W

LUMENS > 470

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E14

MEGAMAN® ECONOMY 4W

FILAMENT GOLF BALL is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146230	4W	2700K / 80	470	N	E14	117	15,000	17	79x45

FILAMENT GOLF BALL | ECONOMY SERIES with 2 Year Warranty

4.2W FILAMENT CLASSIC DIMMING GOLF BALL LED



- WATTAGE > 4.2W**
- LUMENS > 470**
- HOURS LAMP LIFE > 15,000**
- DIMMABLE > YES**
- COLOUR TEMP. > 2700K**
- LAMP BASE > E14**

MEGAMAN® ECONOMY 4.2W

FILAMENT GOLF BALL is part of the great performance and value for money Megaman LED filament range with colour rendering of Ra80 or above. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
711385	4.2W	2700K / 80	470	Y	E14	111	15,000	17	79x45

MEGAMAN® LED LAMPS | FILAMENT GOLF BALL LED

FILAMENT ST64 LED | ECONOMY SERIES with 2 Year Warranty

1.9W GOLD FILAMENT ST64 LED



- WATTAGE > 1.9W
- LUMENS > 200
- HOURS LAMP LIFE > 15,000
- DIMMABLE > NO
- COLOUR TEMP. > 2000K
- LAMP BASE > E27

THE 1.9W ECONOMY GOLD

FILAMENT ST64 lamp is part of the great performance and value for money Megaman LED filament range. Specifically designed for decorative light fittings, to create a charming and stunning visual effect when an exposed lamp is required.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146238	1.9W	2000K / 80	200	N	E27	111	15,000	47	140x64

FILAMENT ST64 LED | ECONOMY SERIES with 2 Year Warranty

4.5W FILAMENT ST64 LED



WATTAGE > 4.5W

LUMENS > 470

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E27

THE MEGAMAN 4.5W ST64

FILAMENT LED is designed with a 2700K colour temperature to provide a warm illumination perfect for creating mood lighting. This new trendy decorative lamp range is perfect for restaurant and bar applications.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146234	4.5W	2700K / 80	470	N	E27	104	15,000	44	140x64

FILAMENT ST64 LED | ECONOMY SERIES with 2 Year Warranty

7W FILAMENT ST64 LED



WATTAGE > 7W

LUMENS > 810

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2700K

LAMP BASE > E27

THE MEGAMAN 7W ST64

FILAMENT LED is designed with a 2700K colour temperature to provide a warm illumination perfect for creating mood lighting. This new trendy decorative lamp range is perfect for restaurant and bar applications.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
146236	7W	2700K / 80	810	N	E27	115	15,000	47	140x64

T8 TUBE LED | PROFESSIONAL SERIES with 3 Year Warranty



MEGAMAN® LED LAMPS | T8 TUBE LED

T8 TUBE LED | PROFESSIONAL SERIES with 3 Year Warranty

9W/16W/23W T8 TUBE LED



WATTAGE > 9W/16W/23W

LUMENS > 920-2400

HOURS LAMP LIFE > 30,000

DIMMABLE > NO

COLOUR TEMP. > 4000K

LAMP BASE > G13

THE MEGAMAN LED TUBE is compatible with traditional magnetic ballasts making it a perfect alternative to traditional T8 fluorescent tubes.

Requires use of starter replacement, and shouldn't usually require re-wiring.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
174110	9W	4000K / 80	920	N	G13	102	30,000	105	603x28 (2ft)
174112	16W	4000K / 80	1700	N	G13	106	30,000	194	1212x28 (4ft)
174114	23W	4000K / 80	2400	N	G13	104	30,000	230	1513x28 (5ft)

PAR30s LED | ECONOMY SERIES with 2 Year Warranty

10.5W PAR30s LED



WATTAGE > 10.5W

LUMENS > 700

HOURS LAMP LIFE > 15,000

DIMMABLE > NO


COLOUR TEMP. > 2800K/4000K

LAMP BASE > E27

MEGAMAN'S PAR30s is a direct replacement for the traditional halogen PAR30s in size and shape. With diffuser glass design, it delivers even light distribution.

Applications:
General domestic and commercial

141825 / 141846



m	Lux	Ø mm
0.5	3400	32
1	850	63
1.5	378	95
2	213	126

Beam angle = 30°

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
141825	10.5W	2800K / 80	700	N	E27	66	15,000	102	88x95
141846	10.5W	4000K / 80	700	N	E27	66	15,000	102	88x95

GX53 LED | ECONOMY SERIES with 2 Year Warranty

5W GX53 LED



WATTAGE > 5W

LUMENS > 300

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K/4000K

LAMP BASE > GX53

ECONOMY SERIES GX53 is a slim profile lamp, designed for surface mounted and recessed cabinet lighting.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
147365	5W	2800K / 80	300	N	GX53	60	15,000	43	24x75
147379	5W	4000K / 80	300	N	GX53	60	15,000	43	24x75

GX53 LED | ECONOMY SERIES with 2 Year Warranty

6W GX53 LED



- WATTAGE > 6W
- LUMENS > 520
- HOURS LAMP LIFE > 15,000
- DIMMABLE > NO
- COLOUR TEMP. > 2800K/4000K
- LAMP BASE > GX53

ECONOMY SERIES 6W GX53 is a slim profile lamp, designed for surface mounted and recessed cabinet lighting.

Applications:
General domestic and commercial

MEGAMAN® LED LAMPS | GX53 LED

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
147540	6W	2800K / 80	520	N	GX53	86	15,000	56	24x75
147542	6W	4000K / 80	520	N	GX53	86	15,000	56	24x75

G9 LED | ECONOMY SERIES with 2 Year Warranty

2W G9 LED



WATTAGE > 2W

LUMENS > 180

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K

LAMP BASE > G9

MEGAMAN® 2W GU9 LED is the perfect eco-saving replacement for energy hungry Halogen G9s. Thanks to their intelligently designed profiles, our G9 LED range is able to fit easily into the compact luminaires they're designed to fit into..

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142400	2W	2800K / 80	180	N	G9	90	15,000	7	43x19

G9 LED | ECONOMY SERIES with 2 Year Warranty

3.5W G9 DIMMING LED



WATTAGE > 3.5W

LUMENS > 300

HOURS LAMP LIFE > 15,000

DIMMABLE > YES

COLOUR TEMP. > 2800K

LAMP BASE > G9

MEGAMAN® 2W G9 LED is the perfect eco-saving replacement for energy hungry Halogen G9s. Thanks to their intelligently designed profiles, our G9 LED range is able to fit easily into the compact luminaires they're designed to fit into..

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142403	3.5W	2800K / 80	300	Y	G9	85	15,000	7	55x18

G4 LED | ECONOMY SERIES with 2 Year Warranty

1.8W G4 LED



WATTAGE > 1.8W

LUMENS > 180

HOURS LAMP LIFE > 15,000

DIMMABLE > NO

COLOUR TEMP. > 2800K

LAMP BASE > G4

MEGAMAN® latest **G4 LED** lamp is now even smaller, which means it is now suitable for even more decorative fittings. Utilising revolutionary back to back mounted LED chips, meaning it performs exactly the same as the halogen lamp it was designed to replace.

Applications:
General domestic and commercial

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
142950	1.8W	2800K / 80	180	N	G4	100	15,000	2	37x10

CLUSTERLITE® | PROFESSIONAL SERIES with 3 Year Warranty

27W /32W/33W CLUSTERLITE® ACTIVE COOLING LED



- WATTAGE > 27W/32W/33W**
- LUMENS > 2800-5000**
- HOURS LAMP LIFE > 35,000**
- DIMMABLE > NO**
- COLOUR TEMP. > 4000K**
- LAMP BASE > E27**

MEGAMAN® CLUSTERLITE® offers impressive lumen output, making it the perfect replacement for metal halide lamps. Immense illumination output for large-scale commercial and industrial applications. Active cooling promotes better control of the thermals allowing for improved lamp performance, efficiency and life.

Applications:
Large-scale and demanding commercial applications

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
804602	27W	4000K / 80	2800	N	E27	103	35,000	304	195x63
804604	32W	4000K / 80	4160	N	E27	130	35,000	310	195x63
804606	33W	4000K / 80	5000	N	E27	151	35,000	308	195x63

MEGAMAN® LED LAMPS | CLUSTERLITE® LED

CLUSTERLITE® | PROFESSIONAL SERIES with 3 Year Warranty

46W CLUSTERLITE® ACTIVE COOLING LED



- WATTAGE > 46W
- LUMENS > 7000
- HOURS LAMP LIFE > 35,000
- DIMMABLE > NO
- COLOUR TEMP. > 4000K
- LAMP BASE > E27

MEGAMAN® CLUSTERLITE® offers impressive lumen output, making it the perfect replacement for metal halide lamps. Immense illumination output for large-scale commercial and industrial applications. Active cooling promotes better control of the thermals allowing for improved lamp performance, efficiency and life.

Applications:
Large-scale and demanding commercial applications

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
804608	46W	4000K / 80	7000	N	E27	152	35,000	367	225x63

CLUSTERLITE® | PROFESSIONAL SERIES with 3 Year Warranty

32W CLUSTERLITE® PASSIVE COOLING LED



WATTAGE > 32W

LUMENS > 4200

HOURS LAMP LIFE > 30,000

DIMMABLE > NO

COLOUR TEMP. > 4000K

LAMP BASE > E27

MEGAMAN® 32W CLUSTERLITE® LED offers impressive lumen output, making it the perfect replacement for metal halide lamps. Immense illumination output for large-scale commercial and industrial applications. Passive cooling promotes simpler design, along with no running noise.

Applications:
Large-scale and demanding commercial applications

LAMP BASE



Order Code	Watts	Colour Temp (K) /CRI	Lumens (lm)	Dimmable	Lamp Base	Lumen/ Watts	Hrs Lamp Life (max)	Weight (g)	Dimensions (LxDia mm)
804610	32W	4000K / 80	4200	N	E27	131	30,000	311	195x63

MEGAMAN® LED LAMPS | CLUSTERLITE® LED

PRODUCT INDEX

LED FIXTURES

**Find the MEGAMAN® LED Fixtures
you are looking for by using either
product order code or product name.**

PRODUCT INDEX | LED FIXTURES

ORDER CODE	PAGE NUMBER								
130212	6	142616	110	146230	145	164014	41	190796	25
130212	60	142618	110	146234	148	164022	41	190798	25
130214	6	142620	111	146236	149	174110	151	190800	22
130214	60	142622	111	146238	147	174112	151	190800	24
130340	7	142624	112	147365	153	174114	151	191000	23
130342	7	142626	112	147379	153	180294	12	191002	23
140500	99	142630	108	147540	154	180342	19	191004	23
140502	99	142632	108	147542	154	180344	19	191006	23
140504	104	142634	133	148174	123	180346	19	191008	23
140506	104	142636	133	148390	118	180348	19	519030	29
140508	104	142950	157	148392	118	180350	19	519036	28
140510	98	143264	141	161001	43	180360	21	519038	28
140512	98	143300	124	161003	43	180362	21	519040	28
140514	98	143302	124	161004	43	180364	21	519042	28
140516	107	143304	124	161006	43	180366	21	707171	136
140518	107	143306	124	161011	42	180368	21	709927	142
140520	107	143308	125	161013	42	180370	21	710264	15
140522	105	143310	125	161014	42	180372	21	710267	14
140524	105	143312	125	161016	42	180374	21	710274	15
140526	105	143314	125	161017	42	180376	21	710286	14
141510	101	143316	115	161019	42	180378	21	710286	16
141580	101	143318	115	161020	42	180380	19	710297	17
141825	152	143350	125	161022	42	180382	19	710298	17
141846	152	143352	125	161023	42	180384	19	710325	17
142220	103	143354	125	161025	42	180386	19	710327	17
142222	103	143356	125	161026	42	180388	19	710337	138
142224	103	143360	114	161028	42	180390	19	710338	139
142400	155	143362	114	161029	42	180392	19	710339	140
142403	156	143370	115	161031	42	180394	19	710354	16
142532	116	143372	115	161032	42	180396	19	710386	17
142534	116	143374	115	161034	42	180398	19	710387	17
142544	126	143376	115	161035	42	190550	9	710390	100
142546	126	143390	129	161037	42	190552	9	710391	100
142550	126	143392	129	161038	42	190554	9	710430	15
142554	127	143394	129	161040	42	190556	9	710437	16
142558	127	143919	141	161041	42	190574	8	710438	16
142560	127	144000	106	161043	42	190576	8	710464	117
142564	127	144002	106	161044	42	190578	8	710465	117
142566	127	144004	39	161046	42	190580	8	710466	117
142568	119	144006	39	161047	42	190582	8	710467	117
142570	119	146210	135	161047	42	190584	8	710474	84
142576	120	146212	136	161049	42	190586	8	710476	85
142578	120	146214	138	161050	42	190588	8	710478	85
142580	121	146216	140	161052	42	190706	10	710479	85
142580	122	146218	137	161053	42	190740	22	710480	88
142582	121	146220	139	161053	42	190740	24	710481	89
142582	122	146222	141	161055	42	190742	22	710482	90
142584	130	146224	142	164004	37	190742	24	710483	91
142586	130	146226	143	164006	37	190750	22	710485	92
142588	130	146228	144	164010	41	190750	24	710487	86

MEGAMAN® LED FIXTURES | INDEX

PRODUCT INDEX | LED FIXTURES

ORDER CODE	PAGE NUMBER				
710488	87	711088	26	711346	26
710489	86	711102	22	711347	22
710489	87	711107	127	711365	127
710491	85	711108	127	711366	127
710492	86	711109	131	711385	131
710492	87	711110	131	711403	131
710505	142	711111	131	711411	131
710506	142	711112	131	711412	131
710507	143	711113	131	711413	131
710508	143	711114	131	711417	131
710509	143	711126	77	711418	77
710675	61	711128	77	711419	77
710676	61	711140	77	711420	77
710677	13	711142	77	711421	77
710689	31	711163	126	790704	126
710691	31	711181	120	804602	120
710709	31	711182	120	804604	120
710729	10	711183	27	804606	27
710830	12	711260	63	804608	63
710842	10	711261	63	804610	63
710871	79	711263	63	710502BACKLIT	63
710872	79	711264	62	710502SIDELIT	62
710873	79	711285	65	710502BACKLIT	65
710874	79	711286	65	710502SIDELIT	65
710875	79	711288	65		
710876	79	711289	65		
710889	13	711291	65		
710890	13	711292	67		
710891	13	711293	67		
710931	11	711295	67		
710933	6	711320	62		
710933	60	711321	62		
710940	6	711322	62		
710940	60	711323	62		
710941	6	711329	69		
710941	60	711330	69		
710971	10	711331	69		
711044	54	711332	69		
711045	55	711334	73		
711046	52	711335	73		
711047	53	711336	73		
711048	56	711337	73		
711049	49	711338	73		
711050	48	711339	73		
711051	47	711340	73		
711052	46	711341	73		
711081	61	711342	75		
711082	61	711343	75		
711085	26	711344	75		
711087	26	711345	75		

PRODUCT NAME	PAGE NUMBER
BERTO	7
BERTO	61
DINO 2	23
DINO FARM	25
EKON	32
ESTELA 2	33
FARRON	21
FONDA	17
GABIO	9
GARRON	73
GEO 2	11
KANA	81
KATIA	69
KEO	63
MARCO	41
MARCO MIDI	39
MARCO MINI	37
MILENA	31
MILENALITE	79
RENZO	15
ROCCA	75
RONDA	71
TEGO	29
TEGO 2	27
TEGO SLIM	77
TITO	32
TONO	19
TOTT 2	13
VOSS	65
VOSS	67
XAVIER	33



MEGAMAN® PERFORMA
FONDA. Plug-and-play IP66
and IK10 LED bulkhead.


Go to page 16 to see the full details.

GU10 LED | ECONOMY SERIES with 2 Year Warranty

GEO 2 IP65 LED HIGH BAY with Selectable Wattage

36-150W | 4000K | 10500-21000lm | 50,000hrs | Dimmable





MEGAMAN®

Megaman (UK) Limited
Megaman House
2 Quadrant Park
Mundells
Welwyn Garden City
Herts AL7 1FS

T: +44 (0)1707 386000
F: +44 (0)1707 386001
E: sales@megamanuk.com



Follow us
[@megamanukltd](#)

© MEGAMAN® (UK) LTD APRIL 2022

All information stated is correct at the time of printing and subject to change without prior notice.

