

Classic filament LEDbulbs

CLA LEDBulb DT 7-60W B22 CRI90 A60 CL

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General Information	
Cap base	B22 [B22]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
Technical type	7-60W
Light Technical	
Colour Code	927-922 [CCT of 2,700 K-2,200 K]
Beam Angle (Nom)	270 °
Luminous flux (nom.)	806 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2700 2200 K
Luminous efficacy (rated) (nom.)	115.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz


Power (Rated) (Nom)	7 W
Lamp current (nom.)	40 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	50 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Lamp Finish	Clear
Approval and Application	
Energy efficiency label (EEL)	A++

Classic filament LEDbulbs

Energy consumption kWh/1,000 hours	7 kWh
Product Data	
Full product code	871869977122500
Order product name	CLA LEDBulb DT 7-60W B22 CR190 A60 CL
EAN/UPC – product	8718699771225
Order code	77122500

SAP numerator – quantity per pack	1
SAP numerator – packs per outer box	10
SAP material	929002392002
Net Weight (Piece)	0.030 kg


Dimensional drawing




A60 230V 9-60W 806lm 2700-2200K B22 D CL

Product	D	C
CLA LEDBulb DT 7-60W B22 CR190 A60 CL	60 mm	104 mm


Photometric data



LEDbulb CLA 7W A60 E27 927 922 CL



LEDbulb CLA WGD CR190



© 2020 Philips Lighting B.V. Page 1/1

LEDbulb CLA 7W A60 B22 927 922 CL

Classic filament LEDbulbs

Lifetime



15K LED

15K LMP

