



CorePro LEDcapsule MV



CorePro LEDcapsule ND 4.8-60W G9 827

This single-ended mains-voltage capsule for G9-base luminaires delivers directional light, making it a true alternative to halogen capsule lamps. It is particularly suitable for task lighting in shops, hotels and restaurants, and ideal for desk lamps and cabinet lighting. Compatible with existing fixtures with G9 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs, without any compromise on light quality.

Product data

General Information		Operating and Electrical	
Cap base	G9 [G9]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	4.8 W
Nominal lifetime (nom.)	15000 h	Lamp current (nom.)	44 mA
Switching cycle	50,000X	Wattage equivalent	60 W
Technical type	4.8-60W	Starting time (nom.)	0.5 s
	Sphere	Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	99 °C
Luminous flux (nom.)	570 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No
Luminous efficacy (rated) (nom.)	118.00 lm/W	Mechanical and Housing	
Colour consistency	<6	Bulb shape	Capsule
Colour rendering index (nom.)	80		
LLMF at end of nominal lifetime (nom.)	70 %		

CorePro LEDcapsule MV

Approval and Application


Energy Efficiency Class	E
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	5 kWh
	397599

Product Data

Full product code	871869965780200
Order product name	CorePro LEDcapsule ND 4.8-60W G9 827

EAN/UPC – product	8718699657802
Order code	65780200
SAP numerator – quantity per pack	1
Numerator – packs per outer box	12
SAP material	929002055102
SAP net weight (piece)	0.012 kg


Dimensional drawing




CorePro LEDcapsule ND 4.8-60W G9 827

Product	D	C
CorePro LEDcapsule ND 4.8-60W G9 827	19 mm	60 mm

Photometric data




LEDcapsule ND 4.8-60W G9



LEDcapsule ND 4.8-60W G9


CorePro LEDcapsule MV

Photometric data




LEDcapsule ND 4.8-60W G9

Lifetime



LEDcapsule ND 4.8-60W G9



LEDcapsule ND 4.8-60W G9

